NAME:			
PRISM ID:			
GRADING TA (Circle one):		Kristin	Rory
Select the BES	$ar{f L}$ answer for the followin	ng questions:	
1.	Which of the following	g is NOT true about a construc	ctor of a class?
	_	t have the same name as the	
	b. A constructor does	s not have a return type.	
	c. A constructor mus provided).	t always be declared within a	class (no default constructor is
	d. A constructor initia	alizes an instance of a class.	
2.	Why are modifiers, or for some variables?	getters and setters such as ge	etName() and setName(), necessary
			ariables with public visibility from
	b. Modifiers are the outside of the clas		ariables with private visibility from
	c. Modifiers are the class.	only way to access static insta	ance variables from outside of the
	d. Modifiers are the o	only way to access instance va	ariables with public visibility from a
3.	Having fixed length is a a. Dynamic b. Static	a characteristic of a	_ structure.
4.	A data stru a. Dynamic b. Static	icture takes up a fixed amoun	t of space in memory.
5.		octure is easier to index than a	a structure.
	a. Dynamic, Staticb. Static, Dynamic		
6.	one	nd delete in the middle of a $_$	data structure than in
	a. Dynamic, Staticb. Static, Dynamic		
	D. Static, Dynamic		

 7.	Explain the process of adding another element to an array that is already full: a. Just add the element. The array is a dynamic structure and can easily accommodate
	more elements.
	b. Create another array of greater size, copy everything from the old shorter array, and
	then add the new element. c. None of the above.
	c. Notice of the above.
8.	The main difference between a tree and a graph is that:
•	a. A tree <u>may</u> have cycles, while a graph <u>must</u> have cycles.
	b. A tree may have cycles, while a graph cannot have cycles.
	c. A tree <u>cannot</u> have cycles, while a graph <u>may</u> have cycles.
	d. A tree <u>cannot</u> have cycles, while a graph <u>must</u> have cycles.
9.	A graph is a type of tree.
 ٠ .	a. True
	b. False
 10.	What is true of both abstract classes and interfaces?
	a. Both can contain regular methods.
	b. Both cannot be instantiated.
	c. Both use the Java keyword extends.
	d. Both require its child class to override all of its methods.
11	Abstract classes use the Java keyword, while interfaces use
	a. throws, implements
	b. extends, throws
	c. extends, implements
	d. implements, extends
12.	Abstract classes and interfaces both cannot be instantiated.
	a. True.
	b. False.
 13.	Abstract classes and interfaces both can contain regular, non-abstract methods.
	a. True.
	b. False.
 . 14.	Abstract classes and interfaces both require its child class or implementing class to
	override all of its methods (By require, we mean that Java will throw an error if you do
	not).
	a. True.
	b. False.

 15.	Which of the following describes an in-order traversal?	
	a. PLR; Visit Parent then Left child then Right child.	
	b. LPR; Visit Left child then Parent then Right child.	
	c. LRP; Visit Left child then Right child then Parent.	
 16.	Which of the following describes a post-order traversal?	
	a. PLR; Visit Parent then Left child then Right child.	
	b. LPT; Visit Left child then Parent then Right child.	
	c. LRP; Visit Left child then Right child then Parent.	
 17.	Which of the following describes a pre-order traversal?	
	a. PLR; Visit Parent then Left child then Right child.	
	b. LPT; Visit Left child then Parent then Right child.	
	c. LRP; Visit Left child then Right child then Parent.	
 18.	For a Stack, insertion is at the and removal at the	
	a. First (head), last (tail)	
	b. Last (tail), first (head)	
	c. Last (tail), last (tail)	
	d. First (head), first (head)	
	e. Both a and b, because it does not matter which occurs at what end as the	
	operations occur at different ends.	
	f. Both c and d, because it does not matter which occurs at what end as the	
	operations occur at the same end.	
 19.	For a Queue, insertion is at the and removal at the	
	a. First (head), last (tail)	
	b. Last (tail), first (head)	
	c. Last (tail), last (tail)	
	d. First (head), first (head)	
	e. Both a and b, because it does not matter which occurs at what end as the	
	operations occur at different ends.	
	f. Both c and d, because it does not matter which occurs at what end as the	
	operations occur at the same end.	
 20.	In continuous simulations, time is advanced from event to event.	
	a. True.	
	b. False.	
 21.	A circular LinkedList is a LinkedList where the last node points back to the first	: node.
	a. True.	
	b. False.	

Consider the following code for questions 22 -25:

```
1 public class Person{
     String name;
     public Person(String name) {
     this.name = name;
5
   public void speak() {
6
7
     System.out.println("My name is "+name+". I am a Person.");
8
9 }
10 public class Student extends Person{
    String major;
12
    public Student(String name, String major) {
13
       super(name);
       this.major = major;
14
15
    public void speak() {
16
17
       super.speak();
18
       System.out.println("My major is "+major+".");
19
     }
20 }
```

- _____ 22. What is happening in line 13?
 - a. The Student class is calling a constructor in the parent class.
 - b. The Student class is calling a method (but not a constructor) in the parent class.
 - c. The Student class is calling a constructor in the child class.
 - d. The Student class is calling a method (but not a constructor) in the child class.
- 23. What is happening in line 17?
 - a. The Student class is calling a constructor in the parent class.
 - b. The Student class is calling a method (but not a constructor) in the parent class.
 - c. The Student class is calling a constructor in the child class.
 - d. The Student class is calling a method (but not a constructor) in the child class.
 - 24. What will print out in the interaction pane, after the following lines of code:

```
Student steve = new Student("Steve", "ISYE");
steve.speak();
```

- a. My major is ISYE.
- b. My name is Steve. I am a Person. My major is ISYE.
- c. My name is Steve. I am a Person.
- d. Some exception will occur.

25. What will print out in the interaction pane, after the following lines of code:

```
Person lucy = new Student("Lucy", "EE");
lucy.speak();
```

- a. My name is Lucy. I am a Person.
- b. My major is EE.
- c. My name is Lucy. I am a Person. My major is EE.
- d. Some exception will occur.