

## List Recursion Examples & Recursive Procedures



#1

## One-Slide Summary

- Recursive functions that operate on lists have a similar structure. **list-cruncher** is a **higher-order function** that can be used to implement many others.
- Decisions in a function can be abstracted out by adding a function argument. For example, **find-closest-number** is just **find-closest** plus a function defining what a **close-number** is.
- The Fibonacci numbers are a **recursively-defined sequence**.
- Almost all **music** uses a **stack** structure: starts on the tonic, repeats similar patterns in a structured way, ends on the tonic.

#2

## Outline

- Your Comments
- list-cruncher
- find-closest-number
  - Reminder: procedure definition strategy!
- find-closest
- Fibonacci numbers
- Recursive Transition Networks
  - vs. Backus-Naur Form Grammars
- Musical Harmony

#3

## Similarities and Differences

```
(define (map f p)          (define (sumlist p)
  (if (null? p)            (if (null? p)
    null                  0
    (cons (f (car p))      (+ (car p)
      (map f (cdr p)))))  (sumlist (cdr p)))))
```

```
(define (list-cruncher lst)
  (if (null? lst)
    base result
    (combiner (car lst)
              (recursive-call ... (cdr lst)))))
```

#4

## Similarities and Differences

```
(define (map f p)          (define (sumlist p)
  (if (null? p)            (if (null? p)
    null                  0
    (cons (f (car p))      (+ (car p)
      (map f (cdr p)))))  (sumlist (cdr p)))))
```


  

```
(define (list-cruncher ? ... ?lst)
  (if (null? lst)
    base result
    (combiner (car lst)
              (recursive-call ... (cdr lst)))))
```

#5

## How could this work?

- I want to crunch all lists. How would I get started?



#6

## One Ring To Rule Them All?

```
(define (list-cruncher base proc combiner lst)
  (if (null? lst)
    base
    (combiner (proc (car lst))
              (list-cruncher base proc combiner
                            (cdr lst)))))

(define (sumlist p)
  (list-cruncher 0 (lambda (x) x) + p))

(define (map f p)
  (list-cruncher null f cons p))
```

## Crunchy Center

```
(define (list-cruncher base proc combiner lst)
  (if (null? lst)
    base
    (combiner (proc (car lst))
              (list-cruncher base proc combiner
                            (cdr lst)))))
```

- How would you define **length** using list-cruncher?  
(define (length lst)
 (if (null? lst) 0
 (+ 1 (length (cdr lst)))))

#7

#8

## list-cruncher crunches length

```
(define (list-cruncher base proc combiner lst)
  (if (null? lst)
    base
    (combiner (proc (car lst))
              (list-cruncher base proc combiner
                            (cdr lst)))))

(define (length p)
  (if (null? p) 0
    (+ 1 (length (cdr p)))))

(define (length p)
  (list-cruncher 0 (lambda (x) 1) + p))
```

## Crunchy Center 2

```
(define (list-cruncher base proc combiner lst)
  (if (null? lst)
    base
    (combiner (proc (car lst))
              (list-cruncher base proc combiner
                            (cdr lst)))))
```

- How would you define **filter** using list-cruncher?  
(define (filter predicate lst)
 (if (null? lst) null
 (append
 (if (predicate (car lst)) (list (car lst)) null)
 (filter predicate (cdr lst)))))

#9

#10

## list-cruncher crunches filters

```
(define (list-cruncher base proc combiner lst)
  (if (null? lst)
    base
    (combiner (proc (car lst))
              (list-cruncher base proc combiner
                            (cdr lst)))))

(define (filter predicate lst)
  (if (null? lst) null
    (append
      (if (predicate (car lst)) (list (car lst)) null)
      (filter predicate (cdr lst)))))

(define (filter pred lst)
  (list-cruncher null
    (lambda (carlst) (if (pred carlst) (list carlst) null))
    append lst))
```

## Liberal Arts Trivia: Drama

- In this 1948 play by Samuel Beckett has been called “the most significant English-language play of the 20<sup>th</sup> century”. The minimal setting calls to mind “the idea of the ‘lieu vague’, a location which should not be particularised”, and the play features two characters who never meet the title character.

#11

#12

## Liberal Arts Trivia: History

- At the height of its power, in the 16<sup>th</sup> and 17<sup>th</sup> century, this political organization spanned three continents. It controlled much of Southeastern Europe, the Middle East and North Africa, and contained 29 provinces and multiple vassal states. Noted cultural achievements include architecture (vast inner spaces confined by seemingly weightless yet massive domes, harmony between inner and outer spaces, articulated light and shadow, etc.), classical music, and cuisine.

#13

## Recall The Strategy!

Be optimistic!

Assume you can define:

(find-closest-number goal numbers)  
that finds the closest number to goal  
from the list of numbers.

What if there is *one more number*?

Can you write a function that finds the  
closest number to match from new-  
number and numbers?

#15

## Optimistic Function

```
(define (find-closest goal numbers)
  ;; base case missing for now
  (if (< (abs (- goal (car numbers)))
    (abs (- goal
      (find-closest-number
        goal (cdr numbers))))))
    (car numbers)
    (find-closest-number goal (cdr numbers))))
```

#17

## find-closest-number

- The function **find-closest-number** takes two arguments. The first is a single number called the goal. The second is a non-empty list of numbers. It returns the number in the input list that is closest to the goal number.

```
> (find-closest-number 150 (list 101 110 120 157 340 588))
157
> (find-closest-number 12 (list 4 11 23))
11
> (find-closest-number 12 (list 95))
95
```

We'll do this  
one together!

#14

## find-closest-number hint

### One Approach for the Recursive Case:

You have two possible answers: the current car of the list and the result of the recursive call. Compare them both against the goal number, and return the one that is closer.



## Defining Recursive Procedures

2. Think of the simplest version of the problem (almost always **null**), something you can already solve. (**base case**)

**Is null the base case for  
find-closest-number?**

#18

## find-closest-number defined

```
(define (find-closest-number goal numbers)
  (if (= 1 (length numbers))      ;;= base case
      (car numbers)
      (if (< (abs (- goal (first numbers)))
              (abs (- goal
                        (find-closest-number
                          goal (cdr numbers))))))
          (car numbers)
          (find-closest-number (cdr numbers))))
```

#19

```
(define (find-closest-number goal numbers)
  (if (= 1 (length numbers))
      (car numbers)
      (if (< (abs (- goal (car numbers)))
              (abs (- goal
                        (find-closest-number goal (cdr numbers))))))
          (car numbers)
          (find-closest-number goal (cdr numbers)))))
```

```
> (find-closest-number 150
  (list 101 110 120 157 340 588))
```

157

```
> (find-closest-number 0 (list 1))
```

1

```
> (find-closest-number 0 (list ))
```


first: expects argument of type <non-empty list>; given ()



#20

## Generalizing find-closest-number

- How would we implement find-closest-number-without-going-over?
- What about find-closest-word?
- ...



#21

#22

## find-closest

```
(define (find-closest goal lst closeness)
  (if (= 1 (length lst))
      (car lst)
      (if (< (closeness goal (car lst))
              (closeness goal
                (find-closest goal (cdr lst) closeness)))
          (car lst)
          (find-closest goal (cdr lst) closeness))))
```

How can we implement find-closest-number using find-closest?

#23

## Using find-closest

```
(define (find-closest-number goal numbers)
  (find-closest goal numbers
    (lambda (a b) (abs (- a b)))))
```

```
(define (find-closest-below goal numbers)
  (find-closest goal numbers
    (lambda (a b)
      (if (>= a b) (- a b) 99999))))
```

#24

## find-closest

```
(define (find-closest goal lst closeness)
  (if (= 1 (length lst))
      (car lst)
      (if (< (closeness goal (car lst))
              (closeness goal
                (find-closest goal (cdr lst) closeness)))
           (car lst)
           (find-closest goal (cdr lst) closeness))))
```

How can we avoid evaluating **find-closest** twice?

## find-closest

```
(define (find-closest goal lst closeness)
  (if (= 1 (length lst))
      (car lst)
      (pick-closest closeness goal (car lst)
                     (find-closest goal (cdr lst) closeness))))
```

```
(define (pick-closest closeness goal num1 num2)
  (if (< (closeness goal num1)
          (closeness goal num2))
      num1
      num2))
```

#25

#26

## Seen Anything Like This?

```
(define (find-best-match sample tiles color-comparator)
  (if (= (length tiles) 1)
      (car tiles)
      (pick-better-match
        sample
        (car tiles)
        (find-best-match
          sample
          (cdr tiles)
          color-comparator)
        color-comparator))))
```

```
(define (pick-better-match
  sample tile1 tile2
  color-comparator)
  (if (color-comparator sample
    (tile-color tile1) (tile-color tile2))
    tile1
    tile2))
```

**find-best-match** from PA1 (Photomosaics) is just **find-closest**!  
**pick-better-match** is just **pick-closest**! You could write all of PA1.

#27

#28

## Liberal Arts Trivia: Philosophy

- This branch of philosophy, which Aristotle called “First Philosophy”, investigates principles of reality transcending those of any particular science. It is concerned with explaining the ultimate nature of being and the world (e.g., determinism and free will, mind and matter, space and time). Its modern name comes from the fact that Aristotle’s chapters about it were placed “beyond” his chapters on matter and force.

## Liberal Arts Trivia: Film Studies


- Born in 1965 to Muslim parents, this Indian actor has starred in films such as *Kuch Kuch Hota Hai*, *Kal Ho Naa Ho*, *Veer-Zaara*, and *Devdas*. In 2008, *Newsweek* named him one of the 50 most powerful people in the world. He has replaced Amitabh “Big B” Bachchan as the host of *Kaun Banega Crorepati*, and has won India’s Padma Shri, a life-sized wax statue at Madame Tussaud’s, and the French government’s *Ordre des Arts et des Lettres*.

#27

#28

## Liberal Arts Trivia: Painting

- Name this 1930 oil-on-beaverboard painting by Grant Wood. It is one of the most familiar images of 20<sup>th</sup> century American art and has achieved an iconic status.



#29

## GEB Chapter V

Consider the optional reading!

You could spend the rest of your life just studying things in this chapter (25 pages)!

- Music Harmony
- Stacks and Recursion
- Theology
- Language Structure
- Number Sequences
- Chaos
- Fractals (PS3 out today. Start early. Why?)
- Quantum Electrodynamics (later lecture)
- DNA (later lecture)
- Sameness-in-differentness
- Game-playing algorithms (later lecture)

#31

## Fibonacci's Problem

Filius Bonacci, 1202 in Pisa:


Suppose a newly-born pair of rabbits, one male, one female, are put in a field. Rabbits mate at the age of one month so that at the end of its second month a female can produce another pair of rabbits.

Suppose that our rabbits **never die** and that the female **always** produces one new pair (one male, one female) **every month** from the second month on.

How many pairs will there be in one year?

#32

## Rabbits



From <http://www.mcs.surrey.ac.uk/Personal/R.Knott/Fibonacci/fibnat.html> #33

#34

## Fibonacci Numbers

GEB p. 136:

These numbers are best defined **recursively** by the pair of formulas

$$\text{FIBO } (n) = \text{FIBO } (n - 1) + \text{FIBO } (n - 2) \quad \text{for } n > 2$$

$$\text{FIBO } (1) = \text{FIBO } (2) = 1 \quad \text{for } n \leq 2$$

Can we turn this into a Scheme procedure?

## Defining FIBO

1. Be optimistic - assume you can solve it, if you could, how would you solve a bigger problem.
2. Think of the simplest version of the problem, something you can already solve.
3. Combine them to solve the problem.

These numbers are best defined recursively by the pair of formulas  
 $\text{FIBO } (n) = \text{FIBO } (n - 1) + \text{FIBO } (n - 2)$  for  $n > 2$   
 $\text{FIBO } (1) = \text{FIBO } (2) = 1$

#35

## Defining fibo

;;;  
 $(\text{fibo } n)$  evaluates to the  $n^{\text{th}}$  Fibonacci  
 ;;;  
 $\text{number}$   
 $(\text{define } (\text{fibo } n)$   
 $\quad (\text{if } (\text{or } (= n 1) (= n 2))$   
 $\quad \quad 1 \text{;; base case}$   
 $\quad \quad (+ (\text{fibo } (- n 1))$   
 $\quad \quad \quad (\text{fibo } (- n 2))))))$

$\text{FIBO } (1) = \text{FIBO } (2) = 1$   
 $\text{FIBO } (n) = \text{FIBO } (n - 1) + \text{FIBO } (n - 2)$  for  $n > 2$

#36

## Fibo Results

> (fib 2)

**1**

> (fib 3)

**2**

> (fib 4)

**3**

> (fib 10)

**55**

> (fib 60)


*Still working after 4 hours...*

Why can't our 4Mx  
Apollo Guidance  
Computer figure  
out how many  
rabbits there will be  
in 5 years?


To be continued...

## Recursive Transition Networks

ORNATE NOUN




Can we describe this using Backus Naur Form?



#37

## Recursive Transition Networks


ORNATE NOUN



ORNATE NOUN ::= NOUN

## Recursive Transition Networks

ORNATE NOUN



ORNATE NOUN ::= NOUN


ORNATE NOUN ::= ARTICLE ADJECTIVE NOUN

#39

#40

## Recursive Transition Networks

ORNATE NOUN



ORNATE NOUN ::= ARTICLE ADJECTIVE NOUN

ORNATE NOUN ::= ARTICLE ADJECTIVE ADJECTIVE NOUN


ORNATE NOUN ::= ARTICLE ADJECTIVE ADJECTIVE ADJECTIVE NOUN

ORNATE NOUN ::= ARTICLE ADJECTIVE ADJECTIVE ADJECTIVE NOUN

ORNATE NOUN ::= ARTICLE ADJECTIVE ADJECTIVE ADJECTIVE ADJECTIVE NOUN

## Recursive Transition Networks

ORNATE NOUN



ORNATE NOUN ::= ARTICLE ADJECTIVES NOUN

ADJECTIVES ::= ADJECTIVE ADJECTIVES

ADJECTIVES ::=

#41

#42



## Music

- **Almost All Music Is Like This**

- Pushes and pops the listener's stack, but doesn't go too far away from it
- Repeats similar patterns in structured way
- Keeps coming back to Tonic, and Ends on the Tonic

- Any famous Beatles song that doesn't end on Tonic?

### Charge

- **Challenge:**  
Try to find a "pop" song with a 3-level deep harmonic stack

- **PS3:** due Wed.

Be optimistic!

You know everything you need to finish it now, and it is longer than PS2, so get started now!



### Sign Up

It's free and anyone can join

You are ineligible to register for Facebook

Beatles: "A Day in the Life" (starts on G, ends on E)

#49

#50

## Homework

- **Start Problem Set 3 Now**
  - No, really.
  - Due Wed September 22
- **Read Course Book Chapter 6**
  - By Monday September 20

#51