

Video: Tracking and Action Recognition

EECS 442 – Prof. David Fouhey


Winter 2019, University of Michigan

http://web.eecs.umich.edu/~fouhey/teaching/EECS442_W19/

Today: Tracking Objects

- Goal: Locating a moving object/part across video frames
- This class:
 - Examples
 - Probabilistic Tracking
 - Kalman filter
 - Particle filter

Tracking Examples



Tracking Examples




Best Tracking



Difficulties


- Erratic movements, rapid motion
- Occlusion
- Surrounding similar objects



Tracking by Detection

Tracking by detection:


- Works if object is detectable
- Need some way to link up detections



Tracking With Dynamics

Based on motion, predict object location

- Restrict search for object
- Measurement noise is reduced by smoothness
- Robustness to missing or weak observations




Strategies For Tracking

- Tracking with motion prediction:
 - Predict object's state in next frame.
 - Fuse with observation.

General Tracking Model

State X : actual state of object that we want to estimate.
Could be: Pose, viewpoint, velocity, acceleration.

Observation Y : our “measurement” of state X . Can be noisy. At each time step t , state changes to X_t , get Y_t .



Steps of Tracking

Prediction: What's the next state of the object given past measurements

$$P(X_t | Y_0 = y_0, \dots, Y_{t-1} = y_{t-1})$$

Correction: Compute updated estimate of the state from prediction and measurements

$$P(X_t | Y_0 = y_0, \dots, Y_{t-1} = y_{t-1}, Y_t = y_t)$$


Simplifying Assumptions

Only immediate past matters (Markovian)

$$P(X_t | X_0, \dots, X_{t-1}) = P(X_t | X_{t-1})$$

Measurement depends only on current state
(Independence)

$$P(Y_t | X_0, Y_0, \dots, X_{t-1}, Y_{t-1}, X_t) = P(Y_t | X_t)$$



Problem Statement

Have models for:

(1) P(next state) given current state / *Transition*

$$P(X_t | X_{t-1})$$

(2) P(observation) given state / *Observation*

$$P(Y_t | X_t)$$

Want to recover, for each timestep t

$$P(X_t | y_0, \dots, y_t)$$

Probabilistic tracking

- Base case:
 - Start with initial ***prediction***/prior: $P(X_0)$
 - For the first frame, ***correct*** this given the first measurement: $Y_0=y_0$

Probabilistic tracking

- Base case:
 - Start with initial ***prediction***/prior: $P(X_0)$
 - For the first frame, ***correct*** this given the first measurement: $Y_0=y_0$

- Each subsequent step:
 - ***Predict*** X_t given past evidence
 - Observe y_t : ***correct*** X_t given current evidence

Prediction

Given $P(X_{t-1}|y_0, \dots, y_{t-1})$ want $P(X_t|y_0, \dots, y_{t-1})$

$$P(X_t|y_0, \dots, y_{t-1})$$

$$= \int P(X_t, X_{t-1}|y_0, \dots, y_{t-1}) dX_{t-1}$$

**Total
probability**

$$= \int P(X_t, |X_{t-1}, y_0, \dots, y_{t-1})P(X_{t-1}|y_0, \dots, y_{t-1}) dX_{t-1}$$

**Condition on
 X_{t-1}**

$$= \int \underbrace{P(X_t, |X_{t-1})}_{\text{dynamics model}} \underbrace{P(X_{t-1}|y_0, \dots, y_{t-1})}_{\text{corrected estimate from previous step}} dX_{t-1}$$

Markovian

dynamics
model

corrected estimate
from previous step

Correction

Given $P(X_t|y_0, \dots, y_{t-1})$ want $P(X_t|y_0, \dots, y_{t-1}, y_t)$

$$P(X_t|y_0, \dots, y_t)$$

$$= \frac{P(y_t|X_t, y_0, \dots, y_{t-1})P(X_t|y_0, \dots, y_{t-1})}{P(y_t|y_0, \dots, y_{t-1})}$$

**Bayes
Rule**

$$= \frac{P(y_t|X_t)P(X_t|y_0, \dots, y_{t-1})}{P(y_t|y_0, \dots, y_{t-1})}$$

**Independence
Assumption**

$$= \frac{P(y_t|X_t)P(X_t|y_0, \dots, y_{t-1})}{\int P(y_t|X_t)P(X_t|y_0, \dots, y_{t-1}) dX_t}$$

**Condition
on X_t**

Correction

Given $P(X_t|y_0, \dots, y_{t-1})$ want $P(X_t|y_0, \dots, y_{t-1}, y_t)$

$$P(X_t|y_0, \dots, y_t)$$

$$= \frac{\text{observation model} \cdot P(X_t|y_0, \dots, y_{t-1}) \cdot \text{Predicted estimate}}{P(y_t|y_0, \dots, y_{t-1})}$$

Bayes Rule

$$= \frac{P(y_t|X_t)P(X_t|y_0, \dots, y_{t-1})}{P(y_t|y_0, \dots, y_{t-1})}$$

Independence Assumption

$$= \frac{P(y_t|X_t)P(X_t|y_0, \dots, y_{t-1})}{\int P(y_t|X_t)P(X_t|y_0, \dots, y_{t-1}) dX_t}$$

Condition on X_t

Normalization Factor

Summarize

Transition

P(state given past)

Observation

P(state given past+present)

Prediction:

$$P(X_t | y_0, \dots, y_{t-1}) = \int P(X_t | X_{t-1}) P(X_{t-1} | y_0, \dots, y_{t-1}) dX_{t-1}$$

Correction:

$$P(X_t | y_0, \dots, y_t) = \frac{P(y_t | X_t) P(X_t | y_0, \dots, y_{t-1})}{\int P(y_t | X_t) P(X_t | y_0, \dots, y_{t-1}) dX_t}$$

Nasty integrals! Also these are probability distributions

Solution 1 – Kalman Filter

- **What's the product of two Gaussians?**
- Gaussian
- **What do you need to keep track of for a multivariate Gaussian?**
- Mean, Covariance

Kalman filter: assume everything's Gaussian


Solution 1 – Kalman Filter

“The Apollo computer used 2k of magnetic core RAM and 36k wire rope [...]. The CPU was built from ICs [...]. Clock speed was under 100 kHz”

Rudolf
Kalman



Comparison




Ground Truth


Observation

Correction

Example: Kalman Filter



Observation




Prediction




Ground
Truth




Correction



Propagation of Gaussian densities




Particle filtering



Represent the state distribution non-parametrically

- Prediction: Sample possible values X_{t-1} for the previous state
- Correction: Compute likelihood of X_t based on weighted samples and $P(y_t|X_t)$

Non-parametric densities



Particle Filtering



Particle Filtering More Generally

- Object tracking:
 - State: object location
 - Observation: detect bounding box
 - Transition: assume constant velocity, etc.
- Vehicle tracking:
 - State: car location $[x,y,\theta]$ + velocity
 - Observation: register location in map
 - Transition: assume constant velocity, etc.

Particle Filtering More Generally

Lost! Leveraging the Crowd for Probabilistic Visual Self-Localization

Marcus A Brubaker, Andreas Geiger and Raquel Urtasun


Code and other videos at:
<http://www.cs.toronto.edu/~mbrubake>

In General

- If you have something intractable:
- Option 1: Pretend you're dealing with Gaussians, everything is nice
- Option 2: Monte-carlo method, don't have to do intractable math

MD-Net

- Offline: train to differentiate between target and bg for K different targets
- Online: fine-tune network in new sequence



Learning Multi-Domain Convolutional Neural Networks for Visual Tracking

Hyeonseob Nam and Bohyung Han

Tracking Issues

- Initialization
 - Manual (click on stuff)
 - Detection
 - Background subtraction


Detour: Background Subtraction

Moving in Time

- Moving only in time, while not moving in space, has many advantages
 - No need to find correspondences
 - Can look at how each ray changes over time
 - In science, always good to change just one variable at a time
- This approach has always interested artists (e.g. Monet)



Image Stack



- As can look at video data as a spatio-temporal volume
 - If camera is stationary, each line through time corresponds to a single ray in space
 - We can look at how each ray behaves
 - What are interesting things to ask?

Example



Examples



Average image



Median Image

Average/Median Image



Background Subtraction



-



=




Tracking Issues


- Initialization
- Getting observation and dynamics models
 - Observation model: match template or use trained detector
 - Dynamics Model: specify with domain knowledge

Tracking Issues

- Initialization
- Getting observation and dynamics models
- Combining prediction vs correction:
 - Dynamics too strong: ignores data
 - Observation too strong: tracking = detection



Too strong dynamics model




Too strong observation model

Tracking Issues

- Initialization
- Getting observation and dynamics models
- Combining prediction vs correction
- Data association:
 - Need to keep track of which object is which. Particle filters good for this

Tracking Issues – Data Association



Tracking Issues

- Initialization
- Getting observation and dynamics models
- Combining prediction vs correction
- Data association
- Drift
 - Errors can accumulate over time

Drift



D. Ramanan, D. Forsyth, and A. Zisserman. [Tracking People by Learning their Appearance](#). PAMI 2007.

Things to remember

- Tracking objects = detection + prediction
- Probabilistic framework
 - Predict next state
 - Update current state based on observation
- Two simple but effective methods
 - Kalman filters: Gaussian distribution
 - Particle filters: multimodal distribution

Action Recognition


- Image recognition:
 - Input: $H \times W \times 3$ image
 - Output: F -dimensional output
- Action recognition
 - Input: $? \times ? \times ?$ video
 - Output: F -dimensional output

Datasets – KTH



#Classes: 6, Videos: 2391, Source: Lab, Year: 2004
Recognizing Human Actions: A Local SVM Approach
C. Schuldt, I. Laptev, B. Caputo

Datasets – Kinetics




#Classes: 400, #Videos: 240K, Source: YouTube, Year: 2017

The Kinetics Human Action Video Dataset


W. Kay, J. Carreira, K. Simonyan, B. Zhang, C. Hillier, S. Vijayanarasimhan, F. Viola, T. Green, T. Back, P. Natsev, M. Suleyman, A. Zisserman,

Models for Action Recognition





- Take learned sequence modeler (also used in language tasks, e.g., sentence -> sentiment)
- Feed in convnet activations as opposed to words

Models for Action Recognition




- One network (Image) takes $H \times W \times 3$ image
- Other network (Flow) takes $H \times W \times 2 \times N$ image
- Add them together

Models for Action Recognition




Models for Action Recognition




- Dump all the frames in as a $H \times W \times 3 \times N$ tensor
- Convolutions are 3D

Models for Action Recognition

- Filters pick up on spatial patterns *and* motion patterns



Models for Action Recognition



- RGB frames go in as $H \times W \times 3 \times N$ tensor
- Flow frames in as $H \times W \times 2 \times N$ tensor
- Convolutions are 3D

Comparisons


Take-homes:

- Flow + RGB does best
- 3D Convolutions does best

Architecture	UCF-101			miniKinetics		
	RGB	Flow	RGB + Flow	RGB	Flow	RGB + Flow
(a) LSTM	81.0	–	–	69.9	–	–
(b) 3D-ConvNet	51.6	–	–	60.0	–	–
(c) Two-Stream	83.6	85.6	91.2	70.1	58.4	72.9
(e) Two-Stream I3D	84.5	90.6	93.4	74.1	69.6	78.7

Hmm... #1

Just looking at independent frames does shockingly well.



Architecture	UCF-101			miniKinetics		
	RGB	Flow	RGB + Flow	RGB	Flow	RGB + Flow
(a) LSTM	81.0	–	–	69.9	–	–
(b) 3D-ConvNet	51.6	–	–	60.0	–	–
(c) Two-Stream	83.6	85.6	91.2	70.1	58.4	72.9
(e) Two-Stream I3D	84.5	90.6	93.4	74.1	69.6	78.7

Hmm... #2

Using optical flow as input improves things. If flow is so important, can't it just learn this on its own?

Architecture	UCF-101			miniKinetics		
	RGB	Flow	RGB + Flow	RGB	Flow	RGB + Flow
(a) LSTM	81.0	–	–	69.9	–	–
(b) 3D-ConvNet	51.6	–	–	60.0	–	–
(c) Two-Stream	83.6	85.6	91.2	70.1	58.4	72.9
(e) Two-Stream I3D	84.5	90.6	93.4	74.1	69.6	78.7