

Lecture 2: Image Classification

Waitlist Update

- We'll continue sending overrides in waitlist order for a target enrollment of 200
- If you got one, **enroll right now** – override will expire tomorrow
- If you received an override and it expires, **you will not get another**

Office Hours

Office hours start next week; check Google Calendar for details

Piazza

Reminder: Piazza is our main source of communication this semester


Right now (enrolled students) < (enrolled students on Piazza)

Go enroll on Piazza if you haven't already

Assignment 1 Released

- <https://web.eecs.umich.edu/~justincj/teaching/eecs498/FA2020/assignment1.html>
- Uses Python, PyTorch, and Google Colab
- Introduction to PyTorch Tensors
- K-Nearest Neighbor classification
- Due **Sunday September 15, 11:59pm EDT**

Google Colab: Cloud Computing in the Browser



The screenshot shows a web browser window with the Google Colab interface. The address bar shows the URL: `colab.research.google.com/drive/1SYoHkg_FXk8LE6BES9KgBgt2SCP6qCBk#scrollTo=DtBln0xjhPMd`. The notebook title is "kNN.ipynb - Colaboratory". The interface includes a menu bar with "File", "Edit", "View", "Insert", "Runtime", "Tools", and "Help". A "Share" button and a user profile icon are visible in the top right. Below the menu bar, there is a button to "Open in playground" and a "Viewing" status indicator. The main content area displays the following text:

▼ **EECS 498-007/598-005 Assignment 1-2: K-Nearest Neighbors (k-NN)**

Before we start, please put your name and UMID in following format
: Firstname LASTNAME, #00000000 // e.g.) Justin JOHNSON, #12345678

Your Answer:
Hello WORLD, #XXXXXXXX

K-Nearest Neighbors (k-NN)

In this notebook you will implement a K-Nearest Neighbors classifier on the [CIFAR-10 dataset](#).
Recall that the K-Nearest Neighbor classifier does the following:

- During training, the classifier simply memorizes the training data
- During testing, test images are compared to each training image; the predicted label is the majority vote among the K nearest training examples.

After implementing the K-Nearest Neighbor classifier, you will use *cross-validation* to find the best value of K.

The goals of this exercise are to go through a simple example of the data-driven image classification pipeline, and also to practice writing efficient, vectorized code in [PyTorch](#).

▼ **Install starter code**

We have implemented some utility functions for this exercise in the [cutils package](#). Run this cell to download and install it.

```
[ ] !pip install git+https://github.com/deepvision-class/starter-code
```

Google Colab: Cloud Computing in the Browser

EECS 498-007 / 598-005
Deep Learning for Computer Vision
Fall 2020

Colab Tutorial

What is Colab?

- Colaboratory is a Google research project created to help disseminate machine learning education and research. It's a Jupyter notebook environment that requires no setup to use and runs entirely in the cloud. (from [Google Colab Notebooks page](#))
- It allows you to use virtual machines with a GPU (or TPU) to accelerate machinelearning workloads for up to 12 hours at a time.
- It is **free to use!** There is a paid option called [Colab Pro](#) which gives access to faster GPUs, more RAM, more CPU cores, more disk space, and longer runtimes, those won't be necessary for this course.

Steps to use Colab

We've written a Colab tutorial:
<https://web.eecs.umich.edu/~justincj/teaching/eecs498/FA2020/colab.html>


Some students having problems;
see workaround on Piazza:
<https://piazza.com/class/ke3a8m6u5wx647?cid=11>

New GPUs Announced Yesterday!




New GPUs Announced Yesterday!

TFLOPs per Device




GFLOPs per Dollar



New GPUs Announced Yesterday!

TFLOPs per Device



GFLOPs per Dollar




Image Classification: A core computer vision task

Input: image



This image by Nikita is
licensed under [CC-BY 2.0](#)

Output: Assign image to one
of a fixed set of categories



cat
bird
deer
dog
truck

Problem: Semantic Gap



This image by Nikita is
licensed under [CC-BY 2.0](#)



```
[[105 112 108 111 104 99 106 99 96 103 112 119 104 97 93 87]  
[ 91 98 102 106 104 79 98 103 99 105 123 136 110 105 94 85]  
[ 76 85 90 105 128 105 87 96 95 99 115 112 106 103 99 85]  
[ 99 81 81 93 120 131 127 100 95 98 102 99 96 93 101 94]  
[106 91 61 64 69 91 88 85 101 107 109 98 75 84 96 95]  
[114 108 85 55 55 69 64 54 64 87 112 129 98 74 84 91]  
[133 137 147 103 65 81 80 65 52 54 74 84 102 93 85 82]  
[128 137 144 140 109 95 86 70 62 65 63 63 60 73 86 101]  
[125 133 148 137 119 121 117 94 65 79 80 65 54 64 72 98]  
[127 125 131 147 133 127 126 131 111 96 89 75 61 64 72 84]  
[115 114 109 123 150 148 131 118 113 109 100 92 74 65 72 78]  
[ 89 93 90 97 108 147 131 118 113 114 113 109 106 95 77 80]  
[ 63 77 86 81 77 79 102 123 117 115 117 125 125 130 115 87]  
[ 62 65 82 89 78 71 80 101 124 126 119 101 107 114 131 119]  
[ 63 65 75 88 89 71 62 81 120 138 135 105 81 98 110 118]  
[ 87 65 71 87 106 95 69 45 76 130 126 107 92 94 105 112]  
[118 97 82 86 117 123 116 66 41 51 95 93 89 95 102 107]  
[164 146 112 80 82 120 124 104 76 48 45 66 88 101 102 109]  
[157 170 157 120 93 86 114 132 112 97 69 55 70 82 99 94]  
[130 128 134 161 139 100 109 118 121 134 114 87 65 53 69 86]  
[128 112 96 117 150 144 120 115 104 107 102 93 87 81 72 79]  
[123 107 96 86 83 112 153 149 122 109 104 75 80 107 112 99]  
[122 121 102 80 82 86 94 117 145 148 153 102 58 78 92 107]  
[122 164 148 103 71 56 78 83 93 103 119 139 102 61 69 84]]
```

What the computer sees

An image is just a big grid of
numbers between [0, 255]:

e.g. 800 x 600 x 3
(3 channels RGB)

Challenges: Viewpoint Variation



[105	112	108	111	104	99	106	99	96	103	112	119	104	97	93	87]
[91	98	102	106	104	79	98	103	99	105	123	136	110	105	94	85]
[76	85	90	105	128	105	87	96	95	99	115	112	106	103	99	85]
[99	81	81	93	120	131	127	100	95	98	102	99	96	93	101	94]
[106	91	61	64	69	91	88	85	101	107	109	98	75	84	96	95]
[114	108	85	55	55	69	64	54	64	87	112	129	98	74	84	91]
[133	137	147	103	65	81	80	65	52	54	74	84	102	93	85	82]
[128	137	144	140	109	95	86	70	62	65	63	63	60	73	86	101]
[125	133	148	137	119	121	117	94	65	79	80	65	54	64	72	98]
[127	125	131	147	133	127	126	131	111	96	89	75	61	64	72	84]
[115	114	109	123	150	148	131	118	113	109	100	92	74	65	72	78]
[89	93	90	97	108	147	131	118	113	114	113	109	106	95	77	80]
[63	77	86	81	77	79	102	123	117	115	117	125	125	130	115	87]
[62	65	82	89	78	71	80	101	124	126	119	101	107	114	131	119]
[63	65	75	88	89	71	62	81	120	138	135	105	81	98	110	118]
[87	65	71	87	106	95	69	45	76	130	126	107	92	94	105	112]
[118	97	82	86	117	123	116	66	41	51	95	93	89	95	102	107]
[164	146	112	80	82	120	124	104	76	48	45	66	88	101	102	109]
[157	170	157	120	93	86	114	132	112	97	69	55	70	82	99	94]
[130	128	134	161	139	100	109	118	121	134	114	87	65	53	69	86]
[128	112	96	117	150	144	120	115	104	107	102	93	87	81	72	79]
[123	107	96	86	83	112	153	149	122	109	104	75	80	107	112	99]
[122	121	102	80	82	86	94	117	145	148	153	102	58	78	92	107]
[122	164	148	103	71	56	78	83	93	103	119	139	102	61	69	84]

All pixels change when
the camera moves!

Challenges: Intraclass Variation



This image is [CC0 1.0](#) public domain

Challenges: Fine-Grained Categories

Maine Coon



[This image](#) is free for for use under the [Pixabay License](#)

Ragdoll



[This image](#) is [CC0 public domain](#)

American Shorthair



[This image](#) is [CC0 public domain](#)

Challenges: Background Clutter



[This image](#) is [CC0 1.0](#) public domain



[This image](#) is [CC0 1.0](#) public domain

Challenges: Illumination Changes



[This image is CC0 1.0 public domain](#)



[This image is CC0 1.0 public domain](#)



[This image is CC0 1.0 public domain](#)



[This image is CC0 1.0 public domain](#)

Challenges: Deformation




This image by Umberto Salvagnin is licensed under CC-BY 2.0



This image by Umberto Salvagnin is licensed under CC-BY 2.0



This image by sare bear is licensed under CC-BY 2.0



This image by Tom Thai is licensed under CC-BY 2.0

Challenges: Occlusion



This image is [CC0 1.0](#) public domain




This image is [CC0 1.0](#) public domain



This image by [jonsson](#) is licensed under [CC-BY 2.0](#)

Image Classification: Very Useful!

Medical Imaging



Levy et al, 2016 Figure reproduced with permission


Galaxy Classification



Dieleman et al, 2014

From left to right: [public domain by NASA](#), usage permitted by ESA/Hubble, [public domain by NASA](#), and [public domain](#).

Whale recognition




[Kaggle Challenge](#)

This image by Christin Khan is in the public domain and originally came from the U.S. NOAA.

Image Classification: Building Block for other tasks!


Example: Object Detection



[This image](#) is free to use under the [Pexels license](#)

Image Classification: Building Block for other tasks!

Example: Object Detection



[This image](#) is free to use under the [Pexels license](#)



Background

Horse

Person

Car

Truck

Image Classification: Building Block for other tasks!

Example: Object Detection



[This image](#) is free to use under the [Pexels license](#)



Background
Horse
Person
Car
Truck

Image Classification: Building Block for other tasks!

Example: Image Captioning



[This image](#) is free to use under the [Pexels license](#)



riding
cat
horse
man
when
...
<STOP>

What word
to say next?

Caption:
Man

Image Classification: Building Block for other tasks!

Example: Image Captioning



[This image](#) is free to use under the [Pexels license](#)



riding
cat
horse
man
when
...
<STOP>

What word
to say next?

Caption:
Man riding

Image Classification: Building Block for other tasks!

Example: Image Captioning



[This image](#) is free to use under the [Pexels license](#)



riding
cat
horse
man
when
...
<STOP>

What word
to say next?

Caption:
Man riding horse

Image Classification: Building Block for other tasks!

Example: Image Captioning



[This image](#) is free to use under the [Pexels license](#)



riding
cat
horse
man
when
...
<STOP>

What word
to say next?

Caption:
Man riding horse

Image Classification: Building Block for other tasks!

Example: Playing Go



[This image is CC0 public domain](#)



(1, 1)

(1, 2)

...

(1, 19)

...

(19, 19)

Where to
play next?

An Image Classifier

```
def classify_image(image):  
    # Some magic here?  
    return class_label
```

Unlike e.g. sorting a list of numbers,

no obvious way to hard-code the algorithm
for recognizing a cat, or other classes.


You could try ...



Find edges



Find corners



Machine Learning: Data-Driven Approach

1. Collect a dataset of images and labels
2. Use Machine Learning to train a classifier
3. Evaluate the classifier on new images

Example training set

```
def train(images, labels):  
    # Machine learning!  
    return model
```

```
def predict(model, test_images):  
    # Use model to predict labels  
    return test_labels
```


airplane




automobile



bird



cat



deer



Image Classification Datasets: MNIST



10 classes: Digits 0 to 9

28x28 grayscale images

50k training images

10k test images

Image Classification Datasets: MNIST



10 classes: Digits 0 to 9

28x28 grayscale images

50k training images

10k test images

“Drosophila of computer vision”

Results from MNIST often do not hold on more complex datasets!




Image Classification Datasets: CIFAR10

airplane




automobile




bird




cat



deer



dog



frog




horse



ship



truck



10 classes


50k training images (5k per class)

10k testing images (1k per class)

32x32 RGB images

We will use this dataset for
homework assignments

Image Classification Datasets: CIFAR100



100 classes

50k training images (500 per class)

10k testing images (100 per class)

32x32 RGB images

20 superclasses with 5 classes each:

Aquatic mammals: beaver, dolphin, otter, seal, whale

Trees: Maple, oak, palm, pine, willow

Image Classification Datasets: ImageNet

1000 classes


~1.3M training images (~1.3K per class)

50K validation images (50 per class)

100K test images (100 per class)

Performance metric: **Top 5 accuracy**


Algorithm predicts 5 labels for each image; one of them needs to be right




flamingo



cock



ruffed grouse




quail




partridge


...



Egyptian cat



Persian cat



Siamese cat




tabby



lynx

...




dalmatian




keeshond



miniature schnauzer



standard schnauzer



giant schnauzer

Deng et al, "ImageNet: A Large-Scale Hierarchical Image Database", CVPR 2009
Russakovsky et al, "ImageNet Large Scale Visual Recognition Challenge", IJCV 2015

Image Classification Datasets: ImageNet


1000 classes

~1.3M training images (~1.3K per class)

50K validation images (50 per class)

100K test images (100 per class)

test labels are secret!



flamingo

cock

ruffed grouse

quail

partridge

...



Egyptian cat

Persian cat

Siamese cat

tabby

lynx

...



dalmatian

keeshond

miniature schnauzer

standard schnauzer


giant schnauzer

Images have variable size, but often
resized to **256x256** for training

There is also a 22k category version of
ImageNet, but less commonly used

Deng et al, "ImageNet: A Large-Scale Hierarchical Image Database", CVPR 2009
Russakovsky et al, "ImageNet Large Scale Visual Recognition Challenge", IJCV 2015

Image Classification Datasets: MIT Places



365 classes of different scene types

~8M training images

18.25K val images (50 per class)

328.5K test images (900 per class)

Images have variable size, often
resize to **256x256** for training

Zhou et al, "Places: A 10 million Image Database for Scene Recognition", TPAMI 2017

Classification Datasets: Number of Training Pixels





Image Classification Datasets: Omniglot



1623 categories: characters
from 50 different alphabets

20 images per category

Meant to test **few shot learning**

Lake et al, "Human-level concept learning through probabilistic program induction", Science, 2015

First classifier: Nearest Neighbor

```
def train(images, labels):  
    # Machine learning!  
    return model
```



Memorize all data
and labels

```
def predict(model, test_images):  
    # Use model to predict labels  
    return test_labels
```



Predict the label of
the most similar
training image

Distance Metric to compare images

L1 distance:

$$d_1(I_1, I_2) = \sum_p |I_1^p - I_2^p|$$

test image

56	32	10	18
90	23	128	133
24	26	178	200
2	0	255	220

training image

10	20	24	17
8	10	89	100
12	16	178	170
4	32	233	112

-

=

pixel-wise absolute value differences

46	12	14	1
82	13	39	33
12	10	0	30
2	32	22	108

add
→ 456

Nearest Neighbor Classifier

```
import numpy as np

class NearestNeighbor:
    def __init__(self):
        pass

    def train(self, X, y):
        """ X is N x D where each row is an example. Y is 1-dimension of size N """
        # the nearest neighbor classifier simply remembers all the training data
        self.Xtr = X
        self.ytr = y

    def predict(self, X):
        """ X is N x D where each row is an example we wish to predict label for """
        num_test = X.shape[0]
        # lets make sure that the output type matches the input type
        Ypred = np.zeros(num_test, dtype = self.ytr.dtype)

        # loop over all test rows
        for i in xrange(num_test):
            # find the nearest training image to the i'th test image
            # using the L1 distance (sum of absolute value differences)
            distances = np.sum(np.abs(self.Xtr - X[i,:]), axis = 1)
            min_index = np.argmin(distances) # get the index with smallest distance
            Ypred[i] = self.ytr[min_index] # predict the label of the nearest example

        return Ypred
```


Nearest Neighbor Classifier

Memorize training data

```
import numpy as np
```

```
class NearestNeighbor:
```

```
    def __init__(self):  
        pass
```

```
    def train(self, X, y):
```

```
        """ X is N x D where each row is an example. Y is 1-dimension of size N """  
        # the nearest neighbor classifier simply remembers all the training data  
        self.Xtr = X  
        self.ytr = y
```

```
    def predict(self, X):
```

```
        """ X is N x D where each row is an example we wish to predict label for """  
        num_test = X.shape[0]  
        # lets make sure that the output type matches the input type  
        Ypred = np.zeros(num_test, dtype = self.ytr.dtype)  
  
        # loop over all test rows  
        for i in xrange(num_test):  
            # find the nearest training image to the i'th test image  
            # using the L1 distance (sum of absolute value differences)  
            distances = np.sum(np.abs(self.Xtr - X[i,:]), axis = 1)  
            min_index = np.argmin(distances) # get the index with smallest distance  
            Ypred[i] = self.ytr[min_index] # predict the label of the nearest example  
  
        return Ypred
```

Nearest Neighbor Classifier

```
import numpy as np

class NearestNeighbor:
    def __init__(self):
        pass

    def train(self, X, y):
        """ X is N x D where each row is an example. Y is 1-dimension of size N """
        # the nearest neighbor classifier simply remembers all the training data
        self.Xtr = X
        self.ytr = y

    def predict(self, X):
        """ X is N x D where each row is an example we wish to predict label for """
        num_test = X.shape[0]
        # lets make sure that the output type matches the input type
        Ypred = np.zeros(num_test, dtype = self.ytr.dtype)

        # loop over all test rows
        for i in xrange(num_test):
            # find the nearest training image to the i'th test image
            # using the L1 distance (sum of absolute value differences)
            distances = np.sum(np.abs(self.Xtr - X[i,:]), axis = 1)
            min_index = np.argmin(distances) # get the index with smallest distance
            Ypred[i] = self.ytr[min_index] # predict the label of the nearest example

        return Ypred
```

For each test image:
Find nearest training image
Return label of nearest image

```

import numpy as np

class NearestNeighbor:
    def __init__(self):
        pass

    def train(self, X, y):
        """ X is N x D where each row is an example. Y is 1-dimension of size N """
        # the nearest neighbor classifier simply remembers all the training data
        self.Xtr = X
        self.ytr = y

    def predict(self, X):
        """ X is N x D where each row is an example we wish to predict label for """
        num_test = X.shape[0]
        # lets make sure that the output type matches the input type
        Ypred = np.zeros(num_test, dtype = self.ytr.dtype)

        # loop over all test rows
        for i in xrange(num_test):
            # find the nearest training image to the i'th test image
            # using the L1 distance (sum of absolute value differences)
            distances = np.sum(np.abs(self.Xtr - X[i,:]), axis = 1)
            min_index = np.argmin(distances) # get the index with smallest distance
            Ypred[i] = self.ytr[min_index] # predict the label of the nearest example

        return Ypred

```

Nearest Neighbor Classifier

Q: With N examples,
how fast is training?


```

import numpy as np

class NearestNeighbor:
    def __init__(self):
        pass

    def train(self, X, y):
        """ X is N x D where each row is an example. Y is 1-dimension of size N """
        # the nearest neighbor classifier simply remembers all the training data
        self.Xtr = X
        self.ytr = y

    def predict(self, X):
        """ X is N x D where each row is an example we wish to predict label for """
        num_test = X.shape[0]
        # lets make sure that the output type matches the input type
        Ypred = np.zeros(num_test, dtype = self.ytr.dtype)

        # loop over all test rows
        for i in xrange(num_test):
            # find the nearest training image to the i'th test image
            # using the L1 distance (sum of absolute value differences)
            distances = np.sum(np.abs(self.Xtr - X[i,:]), axis = 1)
            min_index = np.argmin(distances) # get the index with smallest distance
            Ypred[i] = self.ytr[min_index] # predict the label of the nearest example

        return Ypred

```

Nearest Neighbor Classifier

Q: With N examples,
how fast is training?

A: $O(1)$

```

import numpy as np

class NearestNeighbor:
    def __init__(self):
        pass

    def train(self, X, y):
        """ X is N x D where each row is an example. Y is 1-dimension of size N """
        # the nearest neighbor classifier simply remembers all the training data
        self.Xtr = X
        self.ytr = y

    def predict(self, X):
        """ X is N x D where each row is an example we wish to predict label for """
        num_test = X.shape[0]
        # lets make sure that the output type matches the input type
        Ypred = np.zeros(num_test, dtype = self.ytr.dtype)

        # loop over all test rows
        for i in xrange(num_test):
            # find the nearest training image to the i'th test image
            # using the L1 distance (sum of absolute value differences)
            distances = np.sum(np.abs(self.Xtr - X[i,:]), axis = 1)
            min_index = np.argmin(distances) # get the index with smallest distance
            Ypred[i] = self.ytr[min_index] # predict the label of the nearest example

        return Ypred

```

Nearest Neighbor Classifier

Q: With N examples,
how fast is training?

A: $O(1)$

Q: With N examples,
how fast is testing?

```

import numpy as np

class NearestNeighbor:
    def __init__(self):
        pass

    def train(self, X, y):
        """ X is N x D where each row is an example. Y is 1-dimension of size N """
        # the nearest neighbor classifier simply remembers all the training data
        self.Xtr = X
        self.ytr = y

    def predict(self, X):
        """ X is N x D where each row is an example we wish to predict label for """
        num_test = X.shape[0]
        # lets make sure that the output type matches the input type
        Ypred = np.zeros(num_test, dtype = self.ytr.dtype)

        # loop over all test rows
        for i in xrange(num_test):
            # find the nearest training image to the i'th test image
            # using the L1 distance (sum of absolute value differences)
            distances = np.sum(np.abs(self.Xtr - X[i,:]), axis = 1)
            min_index = np.argmin(distances) # get the index with smallest distance
            Ypred[i] = self.ytr[min_index] # predict the label of the nearest example

        return Ypred

```

Nearest Neighbor Classifier

Q: With N examples,
how fast is training?

A: $O(1)$

Q: With N examples,
how fast is testing?

A: $O(N)$


```

import numpy as np

class NearestNeighbor:
    def __init__(self):
        pass

    def train(self, X, y):
        """ X is N x D where each row is an example. Y is 1-dimension of size N """
        # the nearest neighbor classifier simply remembers all the training data
        self.Xtr = X
        self.ytr = y

    def predict(self, X):
        """ X is N x D where each row is an example we wish to predict label for """
        num_test = X.shape[0]
        # lets make sure that the output type matches the input type
        Ypred = np.zeros(num_test, dtype = self.ytr.dtype)

        # loop over all test rows
        for i in xrange(num_test):
            # find the nearest training image to the i'th test image
            # using the L1 distance (sum of absolute value differences)
            distances = np.sum(np.abs(self.Xtr - X[i,:]), axis = 1)
            min_index = np.argmin(distances) # get the index with smallest distance
            Ypred[i] = self.ytr[min_index] # predict the label of the nearest example

        return Ypred

```

Nearest Neighbor Classifier

Q: With N examples,
how fast is training?

A: $O(1)$

Q: With N examples,
how fast is testing?

A: $O(N)$

This is **bad**: We can
afford slow training, but
we need fast testing!

```

import numpy as np

class NearestNeighbor:
    def __init__(self):
        pass

    def train(self, X, y):
        """ X is N x D where each row is an example. Y is 1-dimension of size N """
        # the nearest neighbor classifier simply remembers all the training data
        self.Xtr = X
        self.ytr = y

    def predict(self, X):
        """ X is N x D where each row is an example we wish to predict label for """
        num_test = X.shape[0]
        # lets make sure that the output type matches the input type
        Ypred = np.zeros(num_test, dtype = self.ytr.dtype)

        # loop over all test rows
        for i in xrange(num_test):
            # find the nearest training image to the i'th test image
            # using the L1 distance (sum of absolute value differences)
            distances = np.sum(np.abs(self.Xtr - X[i,:]), axis = 1)
            min_index = np.argmin(distances) # get the index with smallest distance
            Ypred[i] = self.ytr[min_index] # predict the label of the nearest example

        return Ypred

```

Nearest Neighbor Classifier

There are many methods for fast / approximate nearest neighbors; e.g. see

<https://github.com/facebookresearch/faiss>


What does this look like?




What does this look like?




Nearest Neighbor Decision Boundaries




Nearest Neighbor Decision Boundaries




Nearest Neighbor Decision Boundaries




Nearest Neighbor Decision Boundaries




Nearest Neighbor Decision Boundaries



Nearest Neighbor Decision Boundaries




Nearest Neighbor Decision Boundaries




K-Nearest Neighbors

Instead of copying label from nearest neighbor, take **majority vote** from K closest points

$K = 1$




$K = 3$




K-Nearest Neighbors

Using more neighbors helps smooth out rough decision boundaries

$K = 1$




$K = 3$




K-Nearest Neighbors

Using more neighbors helps
reduce the effect of outliers

$K = 1$




$K = 3$




K-Nearest Neighbors

When $K > 1$ there can be ties between classes.
Need to break somehow!

$K = 1$




$K = 3$



K-Nearest Neighbors: Distance Metric


L1 (Manhattan) distance

$$d_1(I_1, I_2) = \sum_p |I_1^p - I_2^p|$$



L2 (Euclidean) distance


$$d_2(I_1, I_2) = \left(\sum_p (I_1^p - I_2^p)^2 \right)^{\frac{1}{2}}$$



K-Nearest Neighbors: Distance Metric


L1 (Manhattan) distance

$$d_1(I_1, I_2) = \sum_p |I_1^p - I_2^p|$$



L2 (Euclidean) distance

$$d_2(I_1, I_2) = \left(\sum_p (I_1^p - I_2^p)^2 \right)^{\frac{1}{2}}$$



K = 1

K-Nearest Neighbors: Distance Metric

With the right choice of distance metric, we can apply K-Nearest Neighbor to any type of data!

K-Nearest Neighbors: Distance Metric

With the right choice of distance metric, we can apply K-Nearest Neighbor to any type of data!

Mesh R-CNN

Georgia Gkioxari, Jitendra Malik, Justin Johnson

6/6/2019 cs.CV

1306.02739v1 [pdf](#)
[show similar](#) [discuss](#)



Rapid advances in 2D perception have led to systems that accurately detect objects in real-world images. However, these systems make predictions in 2D, ignoring the 3D structure of the world. Concurrently, advances in 3D shape prediction have mostly focused on synthetic benchmarks and isolated objects. We unify advances in these two areas. We propose a system that detects objects in real-world images and produces a triangle mesh giving the full 3D shape of each detected object. Our system, called Mesh R-CNN, augments Mask R-CNN with a mesh prediction branch that outputs meshes with varying topological structure by first predicting coarse voxel representations which are converted to meshes and refined with a graph convolution network operating over the mesh's vertices and edges. We validate our mesh prediction branch on ShapeNet, where we outperform prior work on single-image shape prediction. We then deploy our full Mesh R-CNN system on Pix3D, where we jointly detect objects and predict their 3D shapes.

<http://www.arxiv-sanity.com/search?q=mesh+r-cnn>

Example:
Compare
research
papers using
tf-idf similarity

K-Nearest Neighbors: Distance Metric

Most similar papers:

Image-based 3D Object Reconstruction: State-of-the-Art and Trends in the Deep Learning Era

Xian-Feng Han, Hamid Laga, Mohammed Bannamoun
6/18/2019 (v1: 6/15/2019) cs.CV | cs.CG | cs.GR | cs.LG

1906.06543v2 pdf
show similar | discuss



3D reconstruction is a longstanding ill-posed problem, which has been explored for decades by the computer vision, computer graphics, and machine learning communities. Since 2015, image-based 3D reconstruction using convolutional neural networks (CNN) has attracted increasing interest and demonstrated an impressive performance. Given this new era of rapid evolution, this article provides a comprehensive survey of the recent developments in this field. We focus on the works which use deep learning techniques to estimate the 3D shape of generic objects either from a single or multiple RGB images. We organize the literature based on the shape representations, the network architectures, and the training mechanisms they use. While this survey is intended for methods which reconstruct generic objects, we also review some of the recent works which focus on specific object classes such as human body shapes and faces. We provide an analysis and comparison of the performance of some key papers, summarize some of the open problems in this field, and discuss promising directions for future research.

Pixel2Mesh: Generating 3D Mesh Models from Single RGB Images

Nanyang Wang, Yinda Zhang, Zhuwen Li, Yanwei Fu, Wei Liu, Yu-Gang Jiang
8/3/2018 (v1: 4/5/2018) cs.CV

1804.01654v2 pdf
show similar | discuss



We propose an end-to-end deep learning architecture that produces a 3D shape in triangular mesh from a single color image. Limited by the nature of deep neural network, previous methods usually represent a 3D shape in volume or point cloud, and it is non-trivial to convert them to the more ready-to-use mesh model. Unlike the existing methods, our network represents 3D mesh in a graph-based convolutional neural network and produces correct geometry by progressively deforming an ellipsoid, leveraging perceptual features extracted from the input image. We adopt a coarse-to-fine strategy to make the whole deformation procedure stable, and define various of mesh related losses to capture properties of different levels to guarantee visually appealing and physically accurate 3D geometry. Extensive experiments show that our method not only qualitatively produces mesh model with better details, but also achieves higher 3D shape estimation accuracy compared to the state-of-the-art.

Pixel2Mesh++: Multi-View 3D Mesh Generation via Deformation

Chao Wen, Yinda Zhang, Zhuwen Li, Yanwei Fu
8/16/2019 (v1: 8/5/2019) cs.CV
Accepted by ICCV 2019

1908.01491v2 pdf
show similar | discuss



We study the problem of shape generation in 3D mesh representation from a few color images with known camera poses. While many previous works learn to hallucinate the shape directly from priors, we resort to further improving the shape quality by leveraging cross-view information with a graph convolutional network. Instead of building a direct mapping function from images to 3D shape, our model learns to predict series of deformations to improve a coarse shape iteratively. Inspired by traditional multiple view geometry methods, our network samples nearby area around the initial mesh's vertex locations and reasons an optimal deformation using perceptual feature statistics built from multiple input images. Extensive experiments show that our model produces accurate 3D shape that are not only visually plausible from the input perspectives, but also well aligned to arbitrary viewpoints. With the help of physically driven architecture, our model also exhibits generalization capability across different semantic categories, number of input images, and quality of mesh initialization.

GEOMetrics: Exploiting Geometric Structure for Graph-Encoded Objects

Edward J. Smith, Scott Fujimoto, Adriana Romero, David Meger
1/31/2019 cs.CV

1901.11461v1 pdf
show similar | discuss



Mesh models are a promising approach for encoding the structure of 3D objects. Current mesh reconstruction systems predict uniformly distributed vertex locations of a predetermined graph through a series of graph convolutions, leading to compromises with respect to performance or resolution. In this paper, we argue that the graph representation of geometric objects allows for additional structure, which should be leveraged for enhanced reconstruction. Thus, we propose a system which properly benefits from the advantages of the geometric structure of graph encoded objects by introducing (1) a graph convolutional update preserving vertex information; (2) an adaptive splitting heuristic allowing detail to emerge; and (3) a training objective operating both on the local surfaces defined by vertices as well as the global structure defined by the mesh. Our proposed method is evaluated on the task of 3D object reconstruction from images with the ShapeNet dataset, where we demonstrate state of the art performance, both visually and numerically, while having far smaller space requirements by generating adaptive meshes

<http://www.arxiv-sanity.com/1906.02739v1>


K-Nearest Neighbors: Web Demo

Interactively move points around
and see decision boundaries change

Play with L1 vs L2 metrics

Play with changing number of
training points, value of K

<http://vision.stanford.edu/teaching/cs231n-demos/knn/>



Metric

L1

L2

Num classes

2

3

4

5

Num Neighbors (K)

1

2

3

4

5

6

7

Num points

20

30

40

50

60

Hyperparameters

What is the best value of **K** to use?

What is the best **distance metric** to use?

These are examples of **hyperparameters**: choices about our learning algorithm that we don't learn from the training data; instead we set them at the start of the learning process

Hyperparameters

What is the best value of **K** to use?

What is the best **distance metric** to use?

These are examples of **hyperparameters**: choices about our learning algorithm that we don't learn from the training data; instead we set them at the start of the learning process

Very problem-dependent. In general need to try them all and see what works best for our data / task.

Setting Hyperparameters

Idea #1: Choose hyperparameters that work best on the data



Your Dataset

Setting Hyperparameters

Idea #1: Choose hyperparameters that work best on the data

BAD: $K = 1$ always works perfectly on training data



Your Dataset

Setting Hyperparameters

Idea #1: Choose hyperparameters that work best on the data

BAD: $K = 1$ always works perfectly on training data



Your Dataset

Idea #2: Split data into **train** and **test**, choose hyperparameters that work best on test data



train

test

Setting Hyperparameters

Idea #1: Choose hyperparameters that work best on the data

BAD: $K = 1$ always works perfectly on training data



Your Dataset

Idea #2: Split data into **train** and **test**, choose hyperparameters that work best on test data

BAD: No idea how algorithm will perform on new data



train

test

Setting Hyperparameters

Idea #1: Choose hyperparameters that work best on the data

BAD: $K = 1$ always works perfectly on training data



Your Dataset

Idea #2: Split data into **train** and **test**, choose hyperparameters that work best on test data

BAD: No idea how algorithm will perform on new data




train

test

Idea #3: Split data into **train**, **val**, and **test**; choose hyperparameters on val and evaluate on test

Better!



train

validation

test

Setting Hyperparameters

Your Dataset

Idea #4: Cross-Validation: Split data into **folds**, try each fold as validation and average the results


fold 1	fold 2	fold 3	fold 4	fold 5	test
--------	--------	--------	--------	--------	------

fold 1	fold 2	fold 3	fold 4	fold 5	test
--------	--------	--------	--------	--------	------

fold 1	fold 2	fold 3	fold 4	fold 5	test
--------	--------	--------	--------	--------	------

Useful for small datasets, but (unfortunately) not used too frequently in deep learning

Setting Hyperparameters



Example of 5-fold cross-validation for the value of k .

Each point: single outcome.

The line goes through the mean, bars indicated standard deviation

(Seems that $k \sim 7$ works best for this data)


K-Nearest Neighbor: Universal Approximation

As the number of training samples goes to infinity, nearest neighbor can represent any^(*) function!

(*) Subject to many technical conditions. Only continuous functions on a compact domain; need to make assumptions about spacing of training points; etc.

K-Nearest Neighbor: Universal Approximation


As the number of training samples goes to infinity, nearest neighbor can represent any^(*) function!



(*) Subject to many technical conditions. Only continuous functions on a compact domain; need to make assumptions about spacing of training points; etc.

K-Nearest Neighbor: Universal Approximation


As the number of training samples goes to infinity, nearest neighbor can represent any^(*) function!



(*) Subject to many technical conditions. Only continuous functions on a compact domain; need to make assumptions about spacing of training points; etc.

K-Nearest Neighbor: Universal Approximation


As the number of training samples goes to infinity, nearest neighbor can represent any^(*) function!



(*) Subject to many technical conditions. Only continuous functions on a compact domain; need to make assumptions about spacing of training points; etc.

K-Nearest Neighbor: Universal Approximation

As the number of training samples goes to infinity, nearest neighbor can represent any^(*) function!



(*) Subject to many technical conditions. Only continuous functions on a compact domain; need to make assumptions about spacing of training points; etc.


Problem: Curse of Dimensionality

Curse of dimensionality: For uniform coverage of space, number of training points needed grows exponentially with dimension


Dimensions = 1
Points = 4



Dimensions = 2
Points = 4^2



Dimensions = 3
Points = 4^3



Problem: Curse of Dimensionality

Curse of dimensionality: For uniform coverage of space, number of training points needed grows exponentially with dimension

Number of possible
32x32 binary images:

$$2^{32 \times 32} \approx 10^{308}$$

Problem: Curse of Dimensionality

Curse of dimensionality: For uniform coverage of space, number of training points needed grows exponentially with dimension

Number of possible
32x32 binary images:

$$2^{32 \times 32} \approx 10^{308}$$

Number of elementary particles
in the visible universe: [\(source\)](#)

$$\approx 10^{97}$$

K-Nearest Neighbor on raw pixels is seldom used

- Very slow at test time
- Distance metrics on pixels are not informative

Original



Boxed



Shifted



Tinted



(all 3 images have same L2 distance to the one on the left)

[Original image](#) is
[CC0 public domain](#)

Nearest Neighbor with ConvNet features works well!



Devlin et al, "Exploring Nearest Neighbor Approaches for Image Captioning", 2015

Nearest Neighbor with ConvNet features works well!

Example: Image Captioning with Nearest Neighbor



A bedroom with a bed and a couch.



A cat sitting in a bathroom sink.



A train is stopped at a train station.



A wooden bench in front of a building.

Devlin et al, "Exploring Nearest Neighbor Approaches for Image Captioning", 2015

Summary

In **Image classification** we start with a **training set** of images and labels, and must predict labels on the **test set**

Image classification is challenging due to the semantic gap: we need invariance to occlusion, deformation, lighting, intraclass variation, etc

Image classification is a **building block** for other vision tasks

The **K-Nearest Neighbors** classifier predicts labels based on nearest training examples

Distance metric and K are **hyperparameters**

Choose hyperparameters using the **validation set**; only run on the test set once at the very end!

Next time: Linear Classifiers

