

# CS 318 Principles of Operating Systems

Fall 2022

## Lecture 9: Deadlock



JOHNS HOPKINS  
WHITING SCHOOL  
of ENGINEERING

**Prof. Ryan Huang**

# Deadlock

## Synchronization is a live gun

- We can easily shoot ourselves in the foot
- Incorrect use of synchronization can block all processes
- You have likely been intuitively avoiding this situation already

**If one process tries to access a resource that a second process holds, and vice-versa, they can never make progress**

**We call this situation **deadlock**, and we'll look at:**

- Definition and conditions necessary for deadlock
- Representation of deadlock conditions
- Approaches to dealing with deadlock

# Dining Philosophers Problem




Philosophers spend their lives  
alternating thinking and eating

Don't interact with neighbors,  
occasionally eat

- Need 2 forks to eat
- Release both when done


Can only pick up 1 fork at a time



# Philosophers in Code (1)


```
#define N 5                /* number of philosophers */

void philosopher(int i) /* i: philosopher id, 0 to 4 */
{
    while (true) {
        think();           /* philosopher is thinking */
        take_fork(i);      /* take left fork */
        take_fork((i + 1) % N); /* take right fork */
        eat();             /* yum-yum, spaghetti */
        put_fork(i);       /* put left fork back on the table */
        put_fork((i + 1) % N); /* put right fork back on the table */
    }
}
```



# Philosophers in Code (2)

```
semaphore forks[N]; /* semaphores for each fork,  
                    each initialized to 1 (omitted) */  
  
void take_fork(int i)  
{  
    forks[i].P();    /* wait for ith fork's semaphore */  
}  
  
void put_fork(int i)  
{  
    forks[i].V();    /* signal ith fork's semaphore */  
}
```



**What is a problem with this algorithm?**

# How to Avoid Deadlock Here?

**Multiple solutions exist**

**Simple one: allow at most 4 philosophers to sit simultaneously at the table**

**Another solution: define a partial order for resources (forks)**

- Number the forks
- Philosopher must always pick up lower-numbered fork first and then higher-numbered fork
- What happens if four philosophers all pick up their lower-numbered fork?
- Disadvantage
  - Not always practical, when the complete list of all resources is not known in advance

**Third solution: all or none each time**

# 2<sup>nd</sup> Attempt to Dining Philosopher Problem

```
#define N 5                                /* number of philosophers */
#define LEFT (i+N-1) % N                   /* i's left neighbor */
#define RIGHT (i+1) % N                    /* i's right neighbor */
enum State {THINKING, HUNGRY, EATING}; /* a philosopher's status */
enum State states[N]; /* keep track of each philosopher's status */
semaphore mutex = 1; /* mutual exclusion for critical section */
semaphore phis[N]; /* semaphore for each philosopher, init to 0 */

void philosopher(int i) /* i: philosopher id, 0 to N-1 */
{
    while (true) {
        think(); /* philosopher is thinking */
        take_forks(i); /* take both forks */
        eat(); /* yum-yum, spaghetti */
        put_forks(i); /* put both forks */
    }
}
```

# 2<sup>nd</sup> Attempt to Dining Philosopher Problem

```
void take_forks(int i) /* i: philosopher id, 0 to N-1 */
{
    mutex.P();          /* enter critical section */
    states[i] = HUNGRY; /* indicate philosopher is hungry */
    test(i);            /* try to acquire two forks */
    mutex.V();          /* exit critical section */
    phis[i].P();        /* block if forks not acquired */
}
void put_forks(int i) /* i: philosopher id, 0 to N-1 */
{
    mutex.P();          /* enter critical section */
    states[i] = THINKING; /* indicate i finished eating */
    test(LEFT);         /* see if left neighbor can eat now */
    test(RIGHT);        /* see if right neighbor can eat now */
    mutex.V();          /* exit critical section */
}
```

```
void test(int i) /* i: philosopher id,
                 0 to N-1 */
{
    if (states[i] == HUNGRY &&
        states[LEFT] != EATING &&
        states[RIGHT] != EATING) {
        states[i] = EATING; /* philosopher i
                             can eat now */
        phis[i].V(); /* signal i to proceed */
    }
}
```



# Notes for the 2<sup>nd</sup> Attempt Solution

**What is the purpose of `states` array?**

- ...given that already have the semaphore array?
- A semaphore doesn't have operations for checking its value!

**What if we don't use the `mutex` semaphore?**

**Why the semaphore array is for each philosopher?**

- Our first attempt uses semaphore array for each fork

**What if we put `phis[i].P()`; inside the critical section?**

**What if we don't call the two test in `put_forks`?**

# Deadlock Definition

## Deadlock is a problem that can arise:

- When processes compete for access to limited resources
- When processes are incorrectly synchronized

## Definition:

- Deadlock exists among a set of processes if every process is waiting for an event that can be caused only by another process in the set.

# Deadlock Example

```
mutex_t m1, m2;
void p1(void *ignored) {
    lock(m1);
    → lock(m2);
    /* critical section */
    unlock(m2);
    unlock(m1);
}
void p2(void *ignored) {
    → lock(m2);
    lock(m1);
    /* critical section */
    unlock(m1);
    unlock(m2);
}
```


# Deadlock Example

Can you have deadlock w/o mutexes?

Same problem with condition variables

- Suppose resource 1 managed by  $c_1$ , resource 2 by  $c_2$
- A has 1, waits on  $c_2$ , B has 2, waits on  $c_1$

Or w/ combined mutex/condition variable (tricky)



# Deadlock Example


Can you have deadlock w/o mutexes?

Same problem with condition variables


- Suppose resource 1 managed by  $c_1$ , resource 2 by  $c_2$
- A has 1, waits on  $c_2$ , B has 2, waits on  $c_1$

Or with combined mutex/condition variable (tricky)


Lesson: dangerous to hold locks when crossing boundaries!



internally uses  
condition variables



# Deadlocks w/o Computers



Real issue is *resources* & how required

**E.g., bridge only allows traffic in one direction**

- Each section of a bridge can be viewed as a resource.
- If a deadlock occurs, it can be resolved if one car backs up (preempt resources and rollback).
- Several cars may have to be backed up if a deadlock occurs.
- Starvation is possible.

# Conditions for Deadlock

1. **Mutual exclusion** – At least one resource must be held in a non-sharable mode
2. **Hold and wait** – There must be one process holding one resource and waiting for another resource
3. **No preemption** – Resources cannot be preempted (critical sections cannot be aborted externally)
4. **Circular wait** – There must exist a set of processes  $[P_1, P_2, P_3, \dots, P_n]$  such that  $P_1$  is waiting for  $P_2$ ,  $P_2$  for  $P_3$ , etc.

**All of 1–4 necessary for deadlock to occur**

**Two approaches to dealing with deadlock:**

- Pro-active: prevention
- Reactive: detection + corrective action

# Prevent by Eliminating One Condition

## 1. Mutual exclusion

- Buy more resources, split into pieces, or virtualize to make "infinite" copies
- Threads: threads have copy of registers = no lock

## 2. Hold and wait

- Wait on all resources at once (must know in advance)

## 3. No preemption

- Physical memory: virtualized with VM, can take physical page away and give to another process!

## 4. Circular wait

- Single lock for entire system: (problems?)
- Partial ordering of resources (next)




# Resource Allocation Graph


## View system as graph

- Processes and Resources are nodes
- Resource Requests and Assignments are edges


Process:




Resource with 4 instances:




$P_i$  requesting  $R_j$ :




$P_i$  holding instance of  $R_j$ :




# Example Resource Allocation Graph



# Resource Allocation Graph with Deadlock



# Is This Deadlock?



# Cycles and Deadlock

**If graph has no cycles  $\Rightarrow$  no deadlock**

**If graph contains a cycle**

- Definitely deadlock if only one instance per resource (waits-for graph (WFG))
- Otherwise, *maybe* deadlock, maybe not

**Prevent deadlock with partial order on resources**

- e.g., always acquire mutex  $m_1$  before  $m_2$
- Usually design locking discipline for application this way

# Dealing With Deadlock

**There are four approaches for dealing with deadlock:**

- **Ignore it** – how lucky do you feel?
- **Prevention** – make it impossible for deadlock to happen
- **Avoidance** – control allocation of resources
- **Detection and Recovery** – look for a cycle in dependencies

# Deadlock Avoidance

## Avoidance

- Provide information in advance about what resources will be needed by processes to guarantee that deadlock will not happen
- System only grants resource requests if it knows that the process can obtain all resources it needs in future requests
- Avoids circularities (wait dependencies)

## Tough

- Hard to determine all resources needed in advance
- Good theoretical problem, not as practical to use

# Banker's Algorithm

The Banker's Algorithm is the classic approach to deadlock avoidance for resources with multiple units

## 1. Assign a **credit limit** to each customer (process)

- Maximum credit claim must be stated in advance

## 2. Reject any request that leads to a **dangerous state**

- A dangerous state is one where a sudden request by any customer for the full credit limit could lead to deadlock
- A recursive reduction procedure recognizes dangerous states

## 3. In practice, the system must keep resource usage well below capacity to maintain a **resource surplus**

- Rarely used in practice due to low resource utilization



# Detection and Recovery

## Detection and recovery

- If we don't have deadlock prevention or avoidance, then deadlock may occur
- In this case, we need to detect deadlock and recover from it

## To do this, we need two algorithms

- One to determine whether a deadlock has occurred
- Another to recover from the deadlock

## Possible, but expensive (time consuming)

- Implemented in VMS
- Run detection algorithm when resource request times out

# Deadlock Detection

## Detection

- Traverse the resource graph looking for cycles
- If a cycle is found, preempt resource (force a process to release)

## Expensive

- Many processes and resources to traverse

## Only invoke detection algorithm depending on

- How often or likely deadlock is
- How many processes are likely to be affected when it occurs

# Deadlock Recovery

Once a deadlock is detected, we have two options...

## 1. Abort processes

- Abort all deadlocked processes
  - Processes need to start over again
- Abort one process at a time until cycle is eliminated
  - System needs to rerun detection after each abort

## 2. Preempt resources (force their release)

- Need to select process and resource to preempt
- Need to rollback process to previous state
- Need to prevent starvation

# Deadlock Summary

**Deadlock occurs when processes are waiting on each other and cannot make progress**

- Cycles in Resource Allocation Graph (RAG)

**Deadlock requires four conditions**

- Mutual exclusion, hold and wait, no resource preemption, circular wait

**Four approaches to dealing with deadlock:**

- **Ignore it** – Living life on the edge
- **Prevention** – Make one of the four conditions impossible
- **Avoidance** – Banker's Algorithm (control allocation)
- **Detection and Recovery** – Look for a cycle, preempt or abort

# Next time...

**Read Chapter 15, 16, 18**