CS6120/CS4120: Natural Language Processing

Instructor: Prof. Lu Wang College of Computer and Information Science Northeastern University

Webpage: www.ccs.neu.edu/home/luwang

Logistics

- Arrangement for this week and next week
 - Today: QA cont'd, summarization
 - Oct 30: guest lecture "Developing NLP measures for social science applications" by Sarah Shugars (PhD Candidate in Network Science), attendance required

 - Nov 4: only one office hour at 2:50-4:30pm, Churchill Hall 101 Nov 6: prelim, 2:50-4:30pm, Churchill Hall 101, open book

2 1

Project progress report

- What changes you have made for the task compared to the proposal, including problem/task, models, datasets, or evaluation methods? If there is any change, please explain why.
- Describe data preprocessing process. This includes data cleaning, selection, feature generation or other representation you have used, etc.
- 3. What methods or models you have tried towards the project goal? And why do you choose the methods (you can include related work on similar task or relevant tasks)?
- What results you have achieved up to now based on your proposed evaluation methods? What worked and what didn't work?
- How can you improve your models? What are the next steps?
- Grading: For 2-5, each aspect will take 25 points.
 Length: 2 page (or more if necessary). Single space if MS word is used. Or you can choose latex templates, e.g. https://lwww.acm.org/publications/proceedings-template or http://j.cml.cc/2015/?page_id=151.
 Each group only needs to submit one copy.
 Due Nov 18, 11:59pm
 Feel free to reach out to the staffs you have any question!

3

Text Summarization

- · Goal: produce an abridged version of a text that contains information that is important or relevant to a user.
- Summarization Applications
- outlines or abstracts of any document, article, etc
- summaries of email threads
- action items from a meeting simplifying text by compressing sentences

4



Speech Summarization Phone Conversation

- "Summaries as short as 17% of the full text length speed up decision making twice, with no significant degradation in accuracy."
 - Does this document contain information I am interested in?
 - Is this document worth reading?
- "Query-focused summaries enable users to find more relevant documents more accurately, with less need to consult the full text of the document." [Mani et al., 2002]

5 6

Example: "what is keto diet"

The Ketogenic Diet: A Detailed Beginner's Guide to Keto - Healthline

https://www.healthine.com/nutrition/kestogenic-died-101 **
Jul 30, 2018 ** The kestogenic died is a very lier-each, high-fat diet that share many similarities with the Jul 30, 2018 ** The kestogenic diet is a very lier-each, high-fat diet that share many similarities with the Adhes and live-each diet. It involves destacting reducing activelystate intake and replacing it with fat. This reduction in earlies party your body into a metabolic state called lettosis. What it is "types of the benefits "simple letted Plan"

16 Foods to Eat on a Ketogenic Diet - Healthline https://www.healthline.com/nutrition/ketogenic-diet-foods ▼ Jan 23, 2017 - A ketogenic diet is a very low-carb diet with numerou healthy and nutritious foods you can eat on this diet.

8 Steps Beginners Should Take Before Trying the Keto Diet | Everyday ...

https://www.everydayhealth.com/diet.../ketogenic-diet/steps-beginners-should-take-b Jan 23, 2018 - Before trying the ketogenic diet, you'll need to take a few steps, including knor to eat and avoid, embracing cooking, and being aware ...

Example on Query-focused Summarization

- Query: "Cyberattacks by Russian"
- Summary for returned doc 1:
- Over the last year, Russian hackers have gone from infiltrating business networks of energy, water and nuclear plants to worming their way into control rooms.
- Summary for returned doc 2:
 - The UK, US, France and Germany say there is no plausible alternative explanation to Russian responsibility.

7

What is the output

- Keywords
- Highlighted information in the input
- \bullet Chunks or speech directly from the input or paraphrase and aggregate the input in novel ways
- Modality: text, speech, video, graphics

What is the output

Keywords

8

- Highlighted information in the input
- \bullet Chunks or speech directly from the input or paraphrase and aggregate the input in novel ways
- Modality: text, speech, video, graphics


9 10

What to summarize? Single vs. multiple documents

- Single-document summarization
 - · Given a single document, produce abstract (a paragraph)
 - · outline (bullet points)
 - headline (one sentence)
- Multiple-document summarization
 - Given a group of documents, produce a gist of the content:
 - a series of news stories on the same event
 - $\bullet\,$ a set of web pages about some topic or question

Example: Scientific article summarization

- · Single-document summarization task:
 - Not only what the article is about, but also how it relates to work it cites → summarize the article with regard to prior work
- Multi-document summarization task:
 - Determine which approaches are criticized and which are supported → summarization articles that cite a given article
 - more useful than original paper abstracts



Summarization for Question Answering or Search Engine: Featured Snippets

• Create snippets summarizing a web page for a query (could be paragraphs)

Food of the book to make transits

All Votes Images Brogsing News More Sentings Tools

And All Votes Images Brogsing News More Sentings Tools

And All Votes Images Brogsing News More Sentings Tools

And All Votes Images Brogsing News More Sentings Tools

1 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.


2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

2 in a medium source come with vanilla until stiff peaks form.

13 14



Extractive summarization & Abstractive summarization

- Extractive summarization:
 - create the summary from phrases or sentences in the source document(s)
- Abstractive summarization:
 - express the ideas in the source documents using (at least in part) different

15 16

Extractive summarization

Sample article

The Trump administration accused Russia on Thursday of engineering a series of cyberattacks that targeted American and European nuclear power plants and water and electric systems, and could have sabotaged or shut power plants off at will.

United States officials and private security firms saw the attacks as a signal by Moscow that it could disrupt the West's critical facilities in the event of a conflict.

They said the strikes accelerated in late 2015, at the same time the Russian interference in the American election was underway. The attackers had compromised some operators in North America and Europe by spring 2017, after President Trump was inaugurated.

Extractive summarization: sentence-level

Sample article

The Trump administration accused Russia on Thursday of engineering a series of cyberattacks that targeted American and European nuclear power plants and water and electric systems, and could have sabotaged or shut power plants off at will.

United States officials and private security firms saw the attacks as a signal by Moscow that it could disrupt the West's critical facilities in the event of a conflict.

They said the strikes accelerated in late 2015, at the same time the Russian interference in the American election was underway. The attackers had compromised some operators in North America and Europe by spring 2017, after President Trump was inaugurated.

17 18

Extractive summarization: phrase-level

Sample article:

19

The Trump administration accused Russia on Thursday of engineering a series of cyberattacks that targeted American and European nuclear power plants and water and electric systems, and could have sabotaged or shut power plants off at will.

United States officials and private security firms saw the attacks as a signal by Moscow that it could disrupt the West's critical facilities in the event of a conflict.

They said the strikes accelerated in late 2015, at the same time the Russian interference in the American election was underway. The attackers had compromised some operators in North America and Europe by spring 2017, after President Trump was inaugurated.

Abstractive Summarization

- Input: Congratulations to Australia for seeing sense and dropping the ridiculous policy of not selecting their best players if they are playing
- Summary: Australia have seen sense by revamping their overseas


Most current systems

- · Use shallow analysis methods (frequent words)
 - · Rather than full understanding
- · Work by sentence selection
 - Identify important sentences and piece them together to form a summary

Summarization: Three Stages

20

- ${\bf 1.} \ \ {\bf content} \ {\bf selection:} \ {\bf choose} \ {\bf sentences} \ {\bf to} \ {\bf extract} \ {\bf from} \ {\bf the} \ {\bf document}$
- 2. information ordering: choose an order to place them in the summary
- 3. sentence realization: clean up the sentences



21 22

Basic Summarization Algorithm (extractive)

- 1. content selection: choose sentences to extract from the document
- 2. information ordering: just use document order
- 3. sentence realization: keep original sentences



Basic Summarization Algorithm (extractive)

- ${\bf 1.} \ \ {\bf content} \ {\bf selection:} \ {\bf choose} \ {\bf sentences} \ {\bf to} \ {\bf extract} \ {\bf from} \ {\bf the} \ {\bf document}$
- ${\bf 2.}\ \ information\ ordering: just\ use\ document\ order$
- 3. sentence realization: keep original sentences



23 24

Unsupervised content selection

Frequency as document topic proxy

- Simple intuition, look only at the document(s)
 - Words that repeatedly appear in the document are likely to be related to the topic of the document (single document)
 Sentences that repeatedly appear in different input documents represent themes in the input (multiple documents)

25 26

Frequency as document topic proxy


- Simple intuition, look only at the document(s)

 - Words that repeatedly appear in the document are likely to be related to the topic of the document (single document)
 Sentences that repeatedly appear in different input documents represent themes in the input (multiple documents)
- But what appears in other documents is also helpful in determining
 - Background corpus probabilities/weights for word

What is an article about?

- · Word probability/frequency
- Proposed by Luhn [Luhn 1958]
 Frequent content words would be indicative of the topic of the article
- In multi-document summarization, words or facts repeated in the input are more likely to appear in human summaries [Nenkova et al., 2006]

27 28



Main steps in sentence selection according to word probabilities

- Step 1: estimate word weights (probabilities)
- Step 2: estimate sentence weights (how?)
- Step 3: choose best sentence
- Step 4: update word weights
- Step 5: go to step 2 if length not reached

Main steps in sentence selection according to word probabilities

- Step 1: estimate word weights (probabilities)
- Step 2: estimate sentence weights (how?)
- Step 3: choose best sentence
- Step 4: update word weights (why?)
- Step 5: go to step 2 if length not reached

Main steps in sentence selection according to word probabilities

- Step 1: estimate word weights (probabilities)
- Step 2: estimate sentence weights
 - Step 3: choose best sentence
 - Step 4: update word weights
 - Step 5: go to step 2 if length not reached

31 32


Select highest scoring sentence

$$Scord(S) = \frac{1}{|S|} \sum_{w \in S} p(w)$$

 Update word probabilities for the selected sentence to reduce redundancy

$$p^{new}(w) = p^{old}(w).p^{old}(w)$$

Repeat until desired summary length



33 34

Obvious shortcomings of the pure frequency approaches

- Does not take account of paraphrases or related words
 - bombing -- explosion suspects -- trail
- Gadhafi -- Libya
- Does not take into account evidence from other documents
 - · Function words: prepositions, articles, etc.
 - Domain words: "cell" in cell biology articles
- · Does not take into account many other aspects!
 - · Semantic in general!

Salient words

H. P. Luhn. 1958. The Automatic Creation of Literature Abstracts. IBM Journal of Research and Development. 2:2, 159-165.

- Intuition dating back to Luhn (1958):
- · Choose sentences that have salient or informative words
- Two approaches to defining salient words
 - 1. tf-idf: weigh each word w_i in document j by tf-idf
 - $weight(w_i) = tf_{ij} \times idf_i$ 2. topic signature: choose a smaller set of salient words
 - log-likelihood ratio (LLR) test Dunning (1993), Lin and Hovy (2000)

Topic words (or topic signatures)

- Which words in the input are most descriptive?
- Instead of assigning probabilities or weights to all words, divide words into two classes: descriptive or not
- For iterative sentence selection approach, the binary distinction is key to the advantage over frequency and TF*IDF

Example input and associated topic words

Input for summarization: articles relevant to the following user need

Title: Human Toll of Tropical

Storms Narrative: What has been the human toll in death or injury of tropical storms in recent years? Where and when have each of the storms caused human casualties? What are the approximate total number of casualties at

Topic Words

ahmad, allison, andrew, bahamas, bangladesh, bn. caribbaen, carolina, caused, cent, coast, costals, cricyclone, damage, destroyed, dovasted, disaster, dollars, dovaved, flood, floodda, floodda, floodda, gulf, ham, ht, homeless, homes, hugo, huricane, insurance, insures, island, slastad, keyd, losses, lovialian, amella, miles, nor-reagua, north, port, pounds, rain, rains, reballd, rebulding, relief, remrants, readdents, roared, sait st stom, aformac, puggles, floutists, hese, tropical, syptom, riign, relatiners, readdents, roared, sait st stom, aformac, puggles, floutists, hese, tropical, syptom, riign, relatiners, weather, starting, and starting and sta

37 38

Formalizing the problem of identifying topic words

- Given
- t: a word that appears in the input
- T: cluster of articles on a given topic (input)
- NT: articles not on topic T (background corpus)
- Decide if t is a topic word or not
- Words that have (almost) the same probability in T and NT are not topic words

$$\begin{split} &\text{H1: } P(t|T) = P(t|NT) = p \text{ (t is not a descriptive term for the topic)} \\ &\text{H2: } P(t|T) = p_1 \text{ and } P(t|NT) = p_2 \text{ and } p_1 > p_2 \text{ (t is a descriptive term)} \end{split}$$

Computing probabilities

- View a text as a sequence of Bernoulli trails
- A word is either our term of interest t or not
- The likelihood of observing term t which occurs with probability p in a text consisting of N words is given by

$$b(k, N, p) = \binom{N}{k} p^k (1-p)^{N-k}$$

39 40

Testing which hypothesis is more likely: log-likelihood ratio test

$$\begin{split} &\text{H1: } P(t|T) = P(t|NT) = p \text{ (t is not a descriptive term for the topic)} \\ &\text{H2: } P(t|T) = p_1 \text{ and } P(t|NT) = p_2 \text{ and } p_1 > p_2 \text{ (t is a descriptive term)} \end{split}$$



Testing which hypothesis is more likely: log-likelihood ratio test

$$\begin{split} &\text{H1: } P(t|T) = P(t|NT) = p \text{ (t is not a descriptive term for the topic)} \\ &\text{H2: } P(t|T) = p_1 \text{ and } P(t|NT) = p_2 \text{ and } p_1 > p_2 \text{ (t is a descriptive term)} \end{split}$$

 $\lambda = rac{ ext{Likelihood of the data given H1}}{ ext{Likelihood of the data given H2}}$

 $-2\,\log\,\lambda\,\, \mbox{ has a known statistical distribution: chi-square}$ At a given significance level, we can decide if a word is descriptive of the input or not.

Unsupervised content selection

H. P. Luhn. 1958. The Automatic Creation of Literature Abstracts. IBM Journal of Research and Development. 2:2, 159-165.

• Topic signatures are assigned with weight of 1

$$weight(w_i) = \begin{cases} 1 & \text{if } -2\log \lambda(w_i) > 10 & \text{Confidence level at 0.001} \\ 0 & \text{otherwise} \end{cases}$$

Topic signature-based content selection with queries Conroy, Schlesinger, and O'Leary 2006

- choose words that are informative either
 - by log-likelihood ratio (LLR) test
 - or by appearing in the query (if there is question)

$$weight(w_i) = \begin{cases} 1 & \text{if } -2\log \lambda(w_i) > 10 \\ 1 & \text{if } w_i \in question \\ 0 & \text{otherwise} \end{cases}$$
 (could learn more complex weights)

• Weigh a sentence (or window) by weight of its words:

$$weight(s) = \frac{1}{|S|} \sum_{w \in S} weight(w)$$

43 44

Supervised content selection

- - a labeled training set of good summaries for each document
- - the sentences in the document with
 - · Or ask human to select sentences
- Extract features

 - position (first K sentence?)
 length of sentence
- · word informativeness, cue phrases

45

Problems:

- · hard to get labeled training data (sometimes only abstractive summaries are available)
- alignment difficult
- even the same person would select different sentences if she performs the task at different times
- performance not better than unsupervised algorithms

So in practice:

Train
 a binary classifier (put sentence in summary? yes selection is more common

Think: How to deal with redundancy?

Author JK Rowling has won her legal battle in a New York court to get an unofficial Harry Potter encyclopedia banned from publication.

A U.S. federal judge in Manhattan has sided with author J.K. Rowling and ruled against the publication of a Harry Potter encyclopedia created by a fan of the

Evaluating Summaries: ROUGE

Human 1: Water spinach is a green leafy vegetable grown in the tropics.

Human 2: Water spinach is a semi-aquatic tropical plant grown as a vegetable.

Human 3: Water spinach is a commonly eaten leaf vegetable of Asia.

• System answer: Water spinach is a leaf vegetable commonly eaten in tropical areas of Asia.

ROUGE (Recall Oriented Understudy for Gisting Evaluation)

- Intrinsic metric for automatically evaluating summaries
 - Not as good as human evaluation ("Did this answer the user's question?")
- But much more convenient

46

- Given a document D. and an automatic summary X:
 - 1. Have N humans produce a set of reference summaries of D
 - 2. Run system, giving automatic summary X
- 3. What percentage of the bigrams from the reference summaries appear in

ROUGE - 2 =
$$\frac{\sum_{s \in \{\text{ReSummaries}\} \text{ injuns } s \in S} \min(count(i, X), count(i, S))}{\sum_{s \in \{\text{ReSummaries}\} \text{ injuns } s \in S} count(i, S)}$$

Q: "What is water spinach?" $\sum_{ROUGE-2=\frac{C}{2}}$

Human 1: Water spinach is a green leafy vegetable grown in the tropics.

Human 2: Water spinach is a semi-aquatic tropical plant grown as a vegetable.

Human 3: Water spinach is a commonly eaten leaf vegetable of Asia.

• System answer: Water spinach is a leaf vegetable commonly eaten in tropical areas of Asia.

• ROUGE-2 =
$$\frac{3+3+6}{10+10+9}$$
 = 12/29 = .43

Query-focused Summarization • Or complex (narrative) question answering

50

Definition questions

49

Q: What is water spinach?

A: Water spinach (ipomoea aquatica) is a semiaquatic leafy green plant with long hollow stems and spear- or heart-shaped leaves, widely grown throughout Asia as a leaf vegetable. The leaves and stems are often eaten stir-fried flavored with salt or in soups. Other common names include morning glory vegetable, kangkong (Malay), rau muong (Viet.), ong choi (Cant.), and kong xin cai (Mand.). It is not related to spinach, but is closely related to sweet potato and convolvulus.

Medical questions

Demner-Fushman and Lin (2007)

Q: In children with an acute febrile illness, what is the efficacy of single medication therapy with acetaminophen or ibuprofen in reducing fever? $\textbf{A:} \ \textbf{Ibuprofen provided greater temperature}$ decrement and longer duration of antipyresis than acetaminophen when the two drugs were administered in approximately equal doses. (PubMedID: 1621668, Evidence Strength: A)

51 52

Other complex questions

- 1. How is compost made and used for gardening (including different types of compost, their uses, origins and benefits)?
- 2. What causes train wrecks and what can be done to prevent them?
- 3. Where have poachers endangered wildlife, what wildlife has been endangered and what steps have been taken to prevent poaching?
- 4. What has been the human toll in death or injury of tropical storms in

Answering harder questions: Query-focused multi-document summarization

- · The (bottom-up) snippet method
- · Find a set of relevant documents
- Extract informative sentences from the documents
- · Order and modify the sentences into an answer
- The (top-down) information extraction method
 build specific answerers for different question types:
 - definition questions
 - biography questions
 - · certain medical questions

Query-focused Multi-document Summarization Maximal Marginal Relevance (MMR)

Jaime Carbonell and Jade Goldstein, The Use of MMR, Diversity-based Reranking for Reordering Documents and Producing Summaries, SIGIR-98

- An iterative method for content selection from multiple documents
- \bullet Iteratively (greedily) choose the best sentence to insert in the summary/answer so far:
 - Relevant: Maximally relevant to the user's query
 high cosine similarity to the query

 - Novel: Minimally redundant with the summary/answer so far
 - low cosine similarity to the summary
- Stop when desired length

Information Ordering

- In what order to present the selected sentences?
 - An article with permuted sentences will not be easy to understand
- · Very important for multi-document summarization
 - Sentences coming from different documents

55 56

Information Ordering

- · Chronological ordering:
 - Order sentences by the date of the document (for summarizing news) (Barzilay, Elhadad, and McKeown 2002)
- - Choose orderings that make neighboring sentences similar (by cosine).
 Choose orderings in which neighboring sentences discuss the same entity (Barzilay and Lapata 2007)
- Topical ordering
- · Learn the ordering of topics in the source documents

Automatic summary edits: advanced topics

- · Some expressions might not be appropriate in the new context
 - · References:

 - he
 Putin
 Russian Prime Minister Vladimir Putin
 - Discourse connectives
 However, moreover, subsequently
- Requires more sophisticated NLP techniques

57 58

Before and After

Pinochet was placed under arrest in London Friday by British police acting on a warrant issued by a Spanish judge. Pinochet has immunity from prosecution in Chile as a senator-for-life under a new constitution that his government crafted. Pinochet was detained in the London clinic while recovering from back surgery.

Gen. Augusto Pinochet, the former Chilean dictator, was placed under arrest in London Friday by British police acting on a warrant issued by a Spanish judge. Pinochet has immunity from prosecution in Chile as a senator-for-life under a new constitution that his government crafted. Pinochet was detained in the London clinic while recovering from back surgery.

Future Directions: Knowledge-based and Advanced Systems

- Discourse information -> coherent summaries
- Use external lexical resources -> redundancy detection
- Wordnet, adjective polarity lists, opinion
- Using machine learning models -> neural network and reinforcement
- Towards abstractive summarization