
Quantum Computing and Romance Novels

Quantum Entanglement: Love on a Subatomic Scale

By Jesse Emspak February 14, 2016





Technology used to study the "love" between entangled particles is also being used in research to improve deep-space communications. (Image: © NASA/JPL-Caltech)

When talking about love and romance, people often bring up unseen and mystical connections.

Such connections exist in the subatomic world as well, thanks to a bizarre and counterintuitive phenomenon called quantum entanglement.


The basic idea of quantum entanglement is that two particles can be intimately linked to each other even if separated by billions of light-years of space; a


Quantum Computing

Why is quantum different?

1. Superposition







N qubits

2^N paths

BLOCH SPHERE (1 QUBIT)

QSPHERE (5 QUBITS)

Classical states

Quantum states

One-Slide Quantum Summary

- A quantum computer manipulates quantum bits; such qubits can represent a superposition of possible states.
- Quantum computers are probabilistic. Grover's Algorithm (for linear search in sublinear time) and Shor's Algorithm (for factoring integers in polylog time) are common quantum algorithms.
- When you use a quantum computer to "try everything in parallel" you get back a random answer.

Quantum quantified

QUANTUM computers are a grand idea. By harnessing the famous strangeness of quantum mechanics, they should be able to perform some (though not all) calculations far faster than any ordinary computer. But building one has proven tricky. The idea was first floated in the 1970s. Four decades later quantum computere are still small, fragile devices confined to the laboratory bench—with one exception. In 2011, to a great fanfare, a Canadian firm called D-Wave announced a commercially available quantum computer, the \$10m D-Wave One. Deals with Google, NASA and Lockneed Martin, a weapons firm, followed.

Admittedly, D-Wave's device is a very specialised sort of computer, restricted to a single area of mathematics called discrete optimisation. But it was big news, and many scientists were rather sceptical. In the past couple of years the firm has published enough papers about its device to convince academics that it has indeed built a quantum-mechanical machine. Now the question is whether it is any faster than the competition.

The Key

• The key to quantum algorithms is to make a bunch of parallel worlds that all have something (part of the right answer) in common.



Shor's Algorithm Prelude


- Goal: find factors of large integer N = p * q
- Let's assume we've made our superposition
 x mod N, x² mod N, x³ mod N, x⁴ mod N, ...
- So, given a superposition of elements in a periodic sequence, how do we extract the period?
 - If we find it, Euler gives us (p-1)(q-1), and we win
- We use the **Quantum Fourier Transform**
 - The heart of **Shor's Algorithm** (1994)
- Reasoning by analogy time!

Groundhog Day

- You're on a 27 hour day.
- Let's imagine that your bedroom has many clocks in it
 - One clock has 27 hours per day
 - One clock has 3 hours per day, etc.
 - Each hour is still 60 minutes on all clocks
- Each clock has its own posterboard with a thumbtack in it mounted below the clock
 - When you wake up, you move each thumbtack in the direction of its clock's hour hand


Bedroom Of Doom!

• Three of your clocks: 4-hour, 3-hour, 8-hour:




Bedroom Of Doom! (1pm)

• Let's say the current time is 1pm on all clocks.



Bedroom Of Doom! (1pm)


 Let's say you're on a 3-hour day, so you wake up every three hours.



 So when next you wake up, it'll be three hours later ...


Bedroom Of Doom! (4pm)

• So you adjust the clocks




Bedroom Of Doom! (4pm)

• So you adjust the clocks




Bedroom Of Doom! (7pm)

• Wakey Wakey! So you adjust the clocks




Bedroom Of Doom! (10pm)

• Wakey Wakey! So you adjust the clocks




Bedroom Of Doom! (1am)

• Sigh! So you adjust the clocks



Bedroom Of Doom! (4am)

• Sigh! So you adjust the clocks



• How can you tell which clock matches your period?

Periodic Motion

It's Just A Jump To The Left

• If you're on a 3-hour day, the 4-hour clock's thumbtack drifts around a little, but every few days it returns to the center

- All of the movements cancel each other out!

- On the other hand, from the perspective of the 3-hour clock you've been waking up at the same time each "morning"
 - So you keep moving that thumbtack in the same direction!
- So just find which thumbtack is farthest from 17 the center and you've found the period.

QFT, QED.

- The Quantum Fourier Transform is a linear (unitary) transformation that maps a vector of complex numbers to another vector of complex numbers
- Input vector has nonzero entries every time I wake up, zero entries everywhere else
- Output vector records thumbtack positions
- In the end: it's a linear transform mapping quantum state encoding a periodic sequence to a quantum state encoding the *period* of the sequence!

Interference

- In quantum-land, probabilities are always nonnegative but **amplitudes** may be negative, positive or even complex.
- Thus amplitudes corresponding to different ways of getting a particular answer can intefere destructively and cancel each other out
- In Shor, all periods from all observations (i.e., all alternate universes) other than the true one cancel each other out. Only for the true period do contributions from all observations (i.e., all universes) point in the same direction.

Shor's Algorithm

 On a quantum computer, Shor's Algorithm takes O((log N)³) time to factor the integer N

- Recall: best classical time $\sim O(2^{logN})$


- In 2001, a team at IBM implemented Shor's algorithm and factored 15 using 7 qubits
 - Experimental realization of Shor's quantum factoring algorithm using nuclear magnetic resonance
 - "We use seven spin-1/2 nuclei in a molecule as quantum bits, which can be manipulated with room temperature liquid-state nuclear magnetic resonance techniques."

Did We Win?

- A normal Turing machine can simulate a quantum computer (slowly ...)
 - So we do not gain any expressive power
 - Quantum computers do not solve the halting problem
- But quantum computers sure seem faster!
- The class of problems that can be solved efficiently by quantum computers is called BQP (bounded error, quantum, polynomial time).


P = NP?

• So: "quantum computers can solve NPcomplete problems in polynomial time" ?



P = NP?

- Misconception: "quantum computers can solve NP-complete problems in polynomial time"
- BQP is suspected to be a superset of P and disjoint from NP (this is unknown)



What Is Quantum Good For?

- BQP contains Integer Factorization
 - Believed to be in NP but not in P
- BQP contains **Discrete Log**
 - Believed to be in NP but not in P
- BQP contains Quantum Database Search
 - Can give an N² speedup on any NP-complete problem (by searching through all the answers), but that's still exponential time
- And that's currently about it.

Progress Seems Slow

- 2001: Factoring
- 2011: Commercial

IBM researchers have already installed the mounting hardware for a jumbo cryostat big enough to hold a quantum computer with 1 million qubits. CONNIE ZHOU/IBM

IBM promises 1000-qubit quantum computer—a milestone—by 2023

By Adrian Cho | Sep. 15, 2020 , 5:45 PM


- Opinion: has been "around the corner" for two decades; more theory than practice
 - Need breakthrough: error rate, + #qubits


The quantum computers of 2018

All the same, as of right now, nearly every quantum computer is a multimillion dollar borderline mad-scientist project that <u>looks the part</u>. You generally find them in R&D departments at large IT companies like IBM, or in the experimental physics wing of large research universities, like MIT. They have to be super-cooled to a hair above absolute zero (that's colder than intergalactic space), and experimenters need to use microwaves of a precise frequency to communicate with each qubit in the computer individually. Needless to say, that doesn't scale. But neither did the vacuum tubes of the earliest conventional computers, so let's not judge this first generation too harshly.

nielsen ROMANCE READERS by the numbers









Romance Novels








ROMANCE SHARE OF FICTION 2015 (ALL FORMATS)



Dispelling Romance Novel Myths

• Tell me something about romance novels ...

- Even if it's just an uninformed stereotype




MERICA'S MOST EUGIBLE BACHFLOB

Why Should We Care?

- In North America, romance novels comprise 55% of all paperbacks sold
 - Most popular genre in modern literature
 - And 29% of all fiction sold in 2015
 - Also Europe & Australia, over 90 languages, etc.
 - Skyrocketing in popularity with ebooks!
- Romantic fiction generates over \$1.438 billion in sales (thousands of separate novels each year)
 - 64 million people claimed to read at least one
 - 16% male, 50-50 married/single, 42% BA/BS
 - 28/190 world countries have GDP < \$1.2 billion

Book Sales by Genre



30

2020 Most Lucrative Genres

- All Books Sales (Electronic and Paper):
 - Romance/Erotica \$1.44 billion
 - Crime/Mystery \$ 728.2 million
 - Religious/Inspirational \$ 720 million
 - Science Fiction/Fantasy \$ 590.2 million
 - Horror \$ 79.6 million
- Top 3 Kindle Categories By Sales:
 - Romance -> Contemporary
 - Literature & Fiction -> Contemporary Fiction -> Women
 - Romance -> New Adult & College

On The Street

• "Romance novels do better here than any other genre," says Anna Mickelsen of the Springfield City Library in Springfield, Mass in 2013. "Romance makes up 35% of our more-than-5,000-item collection but accounts for over 43% of the circulation. On average, romance paperbacks circulate more than eight times, while items in other genres circulate fewer than six. The cost of romance novels is generally less than [the cost of novels from] many of the other genres, and with high circulations this results in a better return overall on the library's investment." 32

What Are We Talking About?

- According to the Romance Writers of America, the main plot of a romance novel must revolve around the two people as they develop romantic love for each other and work to build a relationship together. Furthermore, a romance novel must have an "emotionally satisfying and optimistic ending."
- Nora Roberts claims "The books are about the celebration of falling in love and emotion and commitment, and all of those things we really want."

Freedom?

- Modulo societal taboos, almost anything can appear in a romance novel.
 - Castles, domestic violence, science fiction, disabilities, children, religion, date rape, medicine, suspense, exotic locales, chaste kisses, etc.
- So let's do a brief history and taxonomy of romance novels and occasionally use them as a lens for studying society

Ancient History

- 1740: <u>Pamela, or Virtue Rewarded</u> by Samuel Richardson
 - First popular novel based on heroine's perspective
- 1813: Pride and Prejudice by Jane Austen
 - Often critically considered "the best romance novel ever written"
 - Reinforces stereotype that women must marry?
- 1847: <u>Jane Eyre</u> by Charlotte Bronte
 - Orphaned heroine, gothic elements, Elizabethan drama, "demonstrated the flexibility of the romance novel form"


History

- 1919: <u>The Sheik</u> by E.M. Hull
 - Popular, movie with Valentino, hero kidnaps heroine and wins her affection through "forceful action"
 - One of the first to introduce the rape fantasy [Regis 2003]. Publishers believed that readers would only accept premarital sex in the context of rape. In this novel and those that followed, the rape was depicted as more of a fantasy; the heroine is rarely if ever shown experiencing terror, stress, or trauma as a result.
- 1921+: Many by Georgette Heyer
 - Set during English Regency Period (1811-1820)
 - Used setting as a plot device: characters would have modern day sensibilities (e.g., marrying for love) and 36 would be marked as eccentric

Pre-Modern Era

- 1930+: Mills and Boon hardback romances
 - UK Company, sold in weekly two-penny libraries
- 1957: Harlequin sells M&B books in America
 - Had a "decency code"
 - cf. Hays Production Code in US Cinema, 1934-1968: replaced in modern era by MPAA ratings
 - Intimacy limited to chaste kisses between protagonists
- 1971: Harlequin purchases Mills & Boon
 - Chose to sell books "where the women are": supermarkets, drug stores, etc.

The Modern Era



- 1972: <u>The Flame and the Flower</u> by Kathleen Woodiwiss (Avon publishers)
 - First romance novel "to [follow] the principles into the bedroom"; first to be published directly in paperback; was distributed in drug stores; went on to sell 2.35 million copies
- By 1975 Avon's 4 romances sold 8 million combined copies
- By 1976 over 150 historical romance novels were published selling over 40 million copies

Two Types Of Romance


- Category Romances (series romances)
 - Short: 200 pages; 55,000 words; multiple books in a line published each month
 - "pare the story down to its essentials. Subplots and minor characters are eliminated or relegated"
 - Wide distribution, staying on shelves until sold out or until next month's titles arrive

• Single-Title Romances

- Longer: 350-400 pages, 1/year, remain on shelves
- Not always stand-alone, often Author-driven

39

Romantic Subgenres



Christian

40

Social Mores: Romance Novels 1980s

- 1980: WSJ refers to "bodice-rippers" as "publishing's answer to the Big Mac: they are juicy, cheap, predictable, and devoured in stupifying quantities by legions of loyal fans"
- Contemporary romances: weak females falling in love with alpha males
- Historical romances: heroines active in the plot, but "passive in relationships with heroes"
- All genres: heroines 16-21 virgins, heroes ~30 not, all are beautiful

The Sun Also Rises And Falls

- 1975: Harlequin purchases a romance novel that takes place in America with American morals
 - In the late 70's they rejected Nora Roberts because "they already had their American writer"
- 1980: <u>The Tawny Gold Man</u> by Amii Lorin
 - First to waive the virgin heroine requirement
 - By 1983, sales of that line totaled \$30 million
 - Similar lines soon had 90-100% monthly sellout rates
- 1984: Market Saturation (40% sellout rates)
 - "dampening effect of the high level of redundancy associated with series romances was evident in the decreased number of titles being read per month"

Social Changes

- 1983: lesbian heroine
- 1984: overweight, middle-aged hero
- 1987: ugly hero, heroine searching for birth mother
- Late 1980's: heroines in more male-dominated jobs
- 1990's: self-employed heroines, 30-40 year old women, sensitive men
 - Later: single parenthood, adoption, abuse
 - Taboos: terrorism, warfare, masculine sports
- 2000's+: "chick lit", dystopian, paranormal, .

43

Recent Examples

- 2005: <u>Twilight</u> by Stephenie Meyer
 - Paranormal, blank slate, Mormon
 - Sold 120 million copies by 2011
- 2007: <u>Magic Bites</u> by Ilona Andrews
 - Indicative YA urban fantasy romance
 - Strong female lead, sarcastic and quippy, etc.
- 2011: Fifty Shades of Grey by E L James
 - Sold 125 million copies by 2015
 - Twilight fan fiction




anteed good reads." *York Times* bestsell

REQUEL STORY AND BONUS MATERIAL

#1 New York Times Bestselling Author

Cultural Mores

- 1999: <u>Shanghai Baby</u> (上海宝贝) by Wei Hui
 - Semi-autobiographical heroine:
 25-year novelist trying to publish explicit short stories
 - Also features a morphine addiction, an affair, a love triangle with a German man
 - Banned in China for being decadent



2010+



What an honor for Archive of Our Own means to those who championed it By Petrana Radulovic | @Pet_rana | Updated Aug 19, 2019, 9:35am EDT

- Fan Fiction and Transformative Works
 - Fanfiction.net 12M users
 - Archive Of Our Own 2.9M users
 - 4.7M works in Aug 2019 \rightarrow 6M in May 2020
- Web Serial Novels (webfiction, online novel)
 - cf. serial novels of 19th century (e.g., Dickens)
 - Particularly big in Asia (esp. Japan, China)
- Easier to try out writing in established setting

Category Romance

- Now the fun part ...
- I'll show you a bunch of different category romance lines
- You try to identify the subgenre and target audience










(CC.C), action not an enterna (2.22)

Comments







Category Romance (Popular)

• Amazon Romance eBooks

Best sellers



• Mix and match:

Dad Next Door, High School Bad Boy, Humorous and Quirky, Military, Paranormal, Sports

Category Romance (Niche)




We joke, but ...

• 44% of 2013 romances are ebooks: 26% for other genres

- Also webnovels, serials, ...

- With 25% of romances purchased from Amazon
- It is easier than ever to appeal to, or participate in, niche markets!
- The romance market grows
 - Revealing cultural values



Was this course easy?

"My favorite operational definition of engineering is 'design under constraint.' Engineering is creating, designing what can be, but it is constrained by nature, by cost, by concerns of safety, reliability, environmental impact, manufacturability, maintainability, and many other such 'ilities.'"

[Bill Wulf, NAE President, The Urgency of Engineering Education Reform, 2008]

"[Software Engineering is] The Establishment and use of sound engineering principles in order to obtain economically software that is reliable and works efficiently on real machines." [Bauer 1975, S. 524]

One-Slide Course Summary: You Have Learned

Process (Risk), Measurement, Quality Assurance, Testing (Metrics, Inputs, Oracles), Code Inspection and Review, Dynamic Analysis, Static Analysis (Dataflow), Defect Reporting, Fault Localization (Profiling), Automated Debugging (Delta Debugging), Requirements (Specifications, Elicitation), Design Patterns, Design for Maintainability, Human Productivity (Brains, Pair Programming, Interviews), Multi-Language Projects, Automated Program Repair, Security Implications, and Larger and Smaller **Companies**

I hope you enjoyed this class and learned something from it. I did.



Life

Weimer recommends that you take classes on philosophy until you've covered epistemology, free will, logic, the philosophy of science, and "what it is like to be a bat". Take cognitive psychology classes until you've covered perception and the Flynn effect. Take speech or rhetoric classes until you've covered persuasion. Take anthropology as well as gender studies classes until you've covered Mead and Freeman and you have a better feel for which behaviors are socially constructed and which may be essential. Take classes in statistics until you can avoid being fooled. Take classes in religion or ethics until you've covered the relationship between unhappiness and unrealized desires. Take classes in physics until you can explain how a microphone, radio and speaker all work. Take classes on government until you have an opinion about the feasibility of legislating morality. Take classes on history until you are not condemned to repeat the mistakes of the past.